© 2017 ABBYY Production LLC.

" " . ABBYY 가

58

.

•

			•••••				•••••
		()				
	ABBYY Fine	Reader 14	()	••••••		•••••
							••••••
			•••••				•••••
		••••••				•••••	•••••
			••••••	••••••		•••••	
	•••••	•••••	•••••	•••••••	•••••	•••••	•••••
				••••••		•••••	
					••••••	•••••	•••••
							······
	АВВҮҮ Г	FineReader 1	4				······
	ABBYY F	FineReader 1	4				······
		FineReader 1	4				······································
	ABBYY F	FineReader 1	4				······································
	ABBYY F	FineReader 1 기	4				······································
	ABBYY F	FineReader 1 기 ABBYY FineR	4 				······································
Activ	ABBYY F	FineReader 1 기 지ト	4				· · · · · · · · · · · · · · · · · · ·
Activ	ABBYY F	FineReader 1 기 ABBYY FineR	eader 14	neReader 14 (64	32)	······································
Activ	ABBYY F	FineReader 1 기 ABBYY FineR ctory ABBY	eader 14 ABBYY Fir		32)	· · · · · · · · · · · · · · · · · · ·
Activ	ABBYY F	FineReader 1 기 지 ABBYY FineR ctory ABBY	eader 14 ABBYY Fir Y FineReader	neReader 14 (64 14 Manager)	32)	
Activ Micro	ABBYY F 	FineReader 1 7 ABBYY FineR ctory ABBY stem Center C ABBYY Fine	eader 14 ABBYY Fir Y FineReader Configuration I	neReader 14 (64 14 Manager)	32)	
Activ Micro	ABBYY F 	FineReader 1 7 ABBYY FineR ctory ABBY tem Center C ABBYY Fine	4 eader 14 ABBYY Fir Y FineReader Configuration I eReader 14	neReader 14 (64 14 Vanager)	32)	
Activ Micro	ABBYY F 	FineReader 1 7 ABBYY FineR ctory ABBY stem Center C ABBYY Fine neReader 14	4 Leader 14 ABBYY Fir Y FineReader Configuration I eReader 14	neReader 14 (64 14 Vanager)	32)	
Activ	ABBYY F 	FineReader 1 7 ABBYY FineR ctory ABBY stem Center C ABBYY Fine neReader 14	eader 14 ABBYY Fir Y FineReader Configuration I eReader 14	neReader 14 (64 14 Manager)	32)	
Activ Micro Wind	ABBYY F 	FineReader 1 7 ABBYY FineR ctory ABBYY Fine tem Center C ABBYY Fine neReader 14	eader 14 ABBYY Fir Y FineReader Configuration I Reader 14	neReader 14 (64 14 Manager)	32)	
Activ Micro Wind Citrix	ABBYY F 	FineReader 1 7 ABBYY FineR ctory ABBYY Fine tem Center C ABBYY Fine neReader 14	4 eader 14 ABBYY Fir Y FineReader Configuration N eReader 14	neReader 14 (64 14 Manager)	32)	
Activ Micro Wind Citrix	ABBYY F 	FineReader 1 7 ABBYY FineR Ctory ABBYY Fine tem Center C ABBYY Fine neReader 14	4 Leader 14 ABBYY Fir Y FineReader Configuration I eReader 14	neReader 14 (64 14 Manager)	32)	

ABBYY FineReader 14가	? 53
ABBYY FineReader	14
ABBYY FineRead	er 14 55
ABBYY FineReader	14

(+	+		+
	-	-	+	+
:	-	+	+	-
:	-	+	-	-

.

()

1.

2. FineReader가

ABBYY FineReader 14 ABBYY FineReader

.

.

.

.

ABBYY FineReader

1.

- .
- 가 • .
- 가
- . .
- .
- •
- FineReader •
- 2.

ABBYY FineReader

- •
- . • .

.

• Active Directory

0

FineReader 0 .

가

.

.

.

.

:

- (SCCM). • .

1. FineReader가 () ."

.

.

.

.

FineReader 14 Windows RemoteApp CitrixXenApp

2. ABBYY FineReader 14

3. ABBYY FineReader 14

:

4. FineReader . . 가

- 1. ,
- .
- 2. ABBYY FineReader 14 가



	.32	ABBYY FineReader 14 가	64	.64 32
	!			
1		1 3 5 0		
١.		I.2GB		
2.	ABBYY FineRead	er ver\Programs Distribs\	ABBYY FineReader 14)	
3.		(\\MyFil e	eServer)	
4.	Active Directory	® ABBYY Fin	eReader 14	
1.		100MB		
2.	가	(\\MyLicen	seServer) Microsoft® Wind	dows® 10, Microsoft®
	Windows® 8.1, N	Aicrosoft® Windows® 8	Microsoft Windows 7, Micro	osoft Windows Server 2016,
	Microsoft Windo	ws Server 2012, Microso	ft Windows Server 2012 R2, N	Aicrosoft Windows Server
	2000 RZ			
3.	1),		
	l).		

 Microsoft® Windows® 10, Microsoft® Windows® 8.1, Microsoft® Windows® 8, Microsoft Windows 7, Microsoft Windows Server 2016, Microsoft Windows Server 2012, Microsoft Windows Server 2012 R2, Microsoft Windows Server 2008 R2

.

.

2.

3. 100MB

1.	SSE2		1 G	Hz 32	(x86)	64	(x64) .	
2.	Microso Windov	: Micro oft Windo ws Server	osoft® Win ows 7, Micr · 2012 R2, N	dows® 10, I osoft Windc ⁄licrosoft Wi	Microsoft® ows Server ndows Ser	Window 2016, Mic ver 2008 I	s® 8.1, Microsoft® rosoft Windows Sei R2 (Windows® 8, ver 2012, Microsoft
		가).				
3.	1GB	(4GB)			가	512MB	가
4.				1.2GB,		1.	2GB.	
5.					1024*76	8.		
6.		,						

- 1. DVD
- Setup.exe
- 2. > **1**.
- 3. . .

ABBYY FineReader

ABBYY FineReader

.

• ABBYY FineReader 14

🛃 ABBY)	Y FineReader 14 License Server - InstallShield Wizard	×						
Ď	설치 유형 및 대상 ABBYY FineReader 사용권 관리자의 설치 유형과 대상 폴더를 선택합니다.	CIT M						
설치 유	2형							
() ABB 사용	 ABBYY FineReader 14 사용권 서버 만들기(C) 사용권 서버와 관리자 유틸리티를 설치합니다. 							
	BYY FineReader 14 사용권 관리자 설치(I)							
이 킹 리힐	컴퓨터에 관리자 유틸리티만 설치합니다. 이 컴퓨터에서 라이센스 서버를 원격으로 ? 할 수 있습니다.	관						
ABBYY Fir	ineReader 사용권 관리자 설치 위치(L):							
C: \Progr	ram Files (x86)\ABBYY FineReader 14 License Server\ 찾아보기(S)						
InstallShield	d							
	< 뉘도(B) 나눔 >(N) 취소							
•								

- 가 ABBYY FineReader 14 가 .
 - - 1. ABBYY Licensing Administrators

2. BUILTIN\Administrators

%programfiles%\Common

Files\ABBYY\FineReader\14.00\Licensing\NetworkLicenseServer.ini

•

.

```
( %commonprogramfiles(x86)%\
```

ABBYY\FineReader\14.00\Licensing\NetworkLicenseServer.ini 64

)

!

가

가

.

.

[Licensing] EnableManagerAuthorization = false

ABBYY FineReader 14

1.		DVD				
	Setup.exe /a		(가	20).	
	: (19)				
2.		>			>	2 .
3.						
			가			
	•					

•

!ABBYY FineReader가

BABYY FineReader 14 - InstallShield Wizard	×
비트워크 위치 제품의 서버 이미지를 위한 네트워크 위치를 지정합니다.	
서버 이름(<u>S</u>):	
	j
예: PO	
관리자 설치 경로(<u>A</u>)	
\\Server\FineReader14	찾아보기(R)
InstallShield	
< 뒤로(B) 설치(I)	취소

ABBYY FineReader 14 ,ABBYY FineReader LAN	ABBYY FineReader 14 (ABBYY FineReader 14
). ABBYY FineReader 14		
1. ABBYY FineReader 14 ABBYY FineReader 14	가 () ABBYY FineReader 14	가
2.	・ フト () ・ ,	가
3. ABBYY Fine . ABBYY FineRead	eReader 14 der 14	
! ABBYY	FineReader 14 ABBYY FineReader가	

ABBYY FineReader 14

.

ABBYY FineReader 14

•

LA	N					
1.						
			ABB	YY FineReader		
		가	가 .			
2.			ABBYY FineRead	der :		
	•					
	•					
	Active Directory					
	Microsoft SCCM(Sy	ystem Center Config	guration Manager)			
		ABBYY Fine	Reader 14 18			
	.32 ABE	3YY FineReader 14	64		.64	32
		가				
1.		1.2GB				
2	ABBYY FineReader					
	(: \\MyFileServer\I	Programs Distribs	ABBYY FineReader 14	4)		
3.		(∖∖MyFil	eServer)			
4.	Active Directory®	ABBYY Fin	eReader 14			
5						
٦.		•				
	• 기	ŀ				
			•			

1.	SSE2		1 G	Hz	32	(x86)	64	(x64) .
2.	Microso Windov	: Micro oft Windo ws Server	osoft® Win ows 7, Micr • 2012 R2, N	dows®í osoft Wi ⁄licrosoft	10, Mici ndows : Windc	rosoft® W Server 201 ows Server	indows ⁽ 6, Micro 2008 R2	® 8.1, Microsoft® Windows® 8, osoft Windows Server 2012, Microsoft 2 (
		가).			
3.	1GB	(4GB)				가	512MB 가
4.				1.2	GB,		1.20	GB.
5.					10	024*768.		
6.		,						

1.	ABBYY FineRea	ader 14 CD-F	ROM	가	Autorun.exe
2	Setup.exe /a	DVD	(가	20 ⁻).
۷.		<u>></u> eader 14 설정	힘이 너테주니니?	-1	– 🗆 X
		상실시유 아이선스 관리 이선스 관리 이선수 사용자 아이선수 서버 및	경 을 신 댁 압 니니 자를 사용하여 설치히 시 사용 및 사용자 단위 해 로컬 구역 네트워크에 프 라이선스 관리자를 설치	- 「 +고 활성화협 라이선스에 적 로그램을 설계 하여 라이선:	합니다 백합합니다. 관리 설치 치하기 위해 생성됩니다. 스 관리자를
	→ ⊼ 0 2 0	나동 활성화로 설치 방식은 여 - 이선스 방식에 - 러 컴퓨터에 설	설치 패키지를 생성협 더 라이선스가 하나의 시 적합합니다. 설치 패키지 치할 수 있습니다.	합니다 리얼 번호와 는 네트워크(연관된 사용자 단위 에 연결되어 있지 않은
	시스투 끝내기	템 관리자 안니 기	내서 보기		
3.			7	'ŀ	
	•	가			
가	•				ABBYY FineReader



•

17

•

.

•

InstallShield -

ABBYY FineReader 14

	! ABBYY FineReader 14		
•	ABBYY FineReader 14	3],	14).
•	([15]).
		ABBY	/Y FineReader 14
	:		
1.	, ABBYY FineReader SID(Security Identifier)		
2.	ABBYY FineReader Microsoft Core XML (MSXM	IL) 6.0	
1.	(10])	
	(15] DVD)	
	Setup.exe /a		
2.	setup.exe .		
	 ABBYY FineReader 14 - InstallShield Wizard 설치 유형 및 대상 설치 유형과 대상 폴더를 선택합니다. 	×	
	● 표준 설치(T) 가장 많이 사용되는 구성 요소를 포함하여 ABBYY FineReader 14을(를) 표준 구성 로 설치합니다.	<u>0</u>	
	○ 사용자 지정 설치(S) 설치할 프로그램 기능을 선택하십시오.		

다음 >(N)

취소

< 뒤로(B)



.

Setup.exe /qn



.

ABBYY FineReader 14	
<mark>[2]</mark> 을(를) 구성하는 동안 잠시 기다려 주십시오. 	
남은 시간: 43초	
	Cancel

.

(

가

/L<		>	ABBYY	' FineRead	er가			
가			* :					
1026	가							
1028		()					
1029								
1030								
1031								
1032								
1033								
1034								
1036								
1038	가							
1040								
1041								
1042								
1043								
1045								
1046			()				
1049								
1051								
1053								
1055								
1058								
1061								
1066								



INSTALLDIR="< >"	ABBYY FineReader 14
EXPLORER_INTEGRATION=0	ABBYY FineReader 14
SHCTDESKTOP=0	ABBYY FineReader
SSR_AUTORUN=0	ABBYY
DEFAULT_PDF=1	Makes ABBYY FineReader 14 *PDF
DONT_ASK_ABOUT_DEFAULT=1	ABBYY FineReader 14 *PDF
STATISTICS_ALLOWED=0	ABBYY FineReader 14 ABBYY .
CHECK_UPDATES=0	
INSTALL_UPDATES=0	
MARKETING_TIPS_ALLOWED=0	
SSR=0	ABBYY Screenshot Reader .
HF=0	ABBYY .

21

COMPARATOR=0	ABBYY
SN= <serial number=""></serial>	
LIC_SERVER_NAME= <path></path>	
ADMIN_SETUP= /	: ADMIN_SETUP=
	ADMIN_SETUP=
EULA_ACCEPTED=1	ABBYY FineReader 14 (EULA) EULA

:

Setup.exe /qn /L1049 /v INSTALLDIR="C:\ABBYY FineReader 14" STATISTICS_ALLOWED=0

ABBYY FineReader 14	C:\ABBYY FineReader 14		,	
	. ABBYY FineReader		가	ABBYY
. 가	OCR			

ABBYY FineReader 14

msiexec /f {F14000CE-0001-0000-0000-074957833700}

msiexec /x {F14000FE-0001-6400-0000-074957833700} (64

)

Active Directory

MS			Active	Directory	/ (AD)	AD		
Active Di	rectory	3		:				
1.		()					
2.		()					
3.								
ABBYY Fir	neReader							
	!							
1.		FineReade	ir					
2.	MS	201	12 R2					

	: Active Director	у АВВҮҮ	FineReader 14 (64
ABBYY FineReader 14 Active Directory® 2. Group Policy Management Console () (gpmc.msc) 3. FineReader 4. (Create a GPO and Link it here) GPC 7. 71 6 Group Policy Management - • • • • • • • • • • • • • • • • • •	_ , (10) [15])
2. Group Policy Management Console () (gpmc.msc) 3. FineReader 4. (Create a GPO and Link it here) GPC 71 File Action View Window Help File Active Directory Users and Computers View New Window from Here Refresh Properties	ABBYY FineReader	Active Directory	/®
FineReader (create a GPO and Link it here) GPC 7 ¹ Group Policy Management I Cik12.abbyy.ru File Action View Window Help I I I I I I I I I I I I I I I I I I I	Group Policy Managen	nent Console () (gpmc.msc)
4. (Create a GPO and Link it here) GPC 21 Group Policy Management - File Action View Window Help Group Policy Management Ctk12.abbyy.ru Ctk12.abbyy.ru Ctk12.abbyy.ru Ctk12.abbyy.ru Ctk12.abbyy.ru Ctk12.abbyy.ru Status In C Domains Create a GPO in this domain, and Link it here Domains Create a GPO in this domain, and Link it here Change Domains Group Policy Modeling Wizard New Organizational Unit Search Change Domain Controller Remove Active Directory Users and Computers View New Window from Here Refresh Properties	, . FineReader		
Image: State of the state		(Create a GPO and Link it here) GPC
	■ ■ × Image: File Action View Image: File Action View	Window Help Image: Constraint of the status Image: Constraint of the status Image: Constraint of the status Image: Constraint of the status Create a GPO in this domain, and Lip Image: Constraint of the status Create a GPO in this domain, and Lip Image: Constraint of the status Create a GPO in this domain, and Lip Image: Constraint of the status Create a GPO in this domain, and Lip Image: Constraint of the status Create a GPO in this domain, and Lip Image: Constraint of the status Create a GPO in this domain, and Lip Image: Constraint of the status Create a GPO in this domain, and Lip Image: Constraint of the status Block Inheritance Group Policy Modeling Wizard Block Inheritance Group Policy Modeling Wizard New Organizational Unit Search Change Domain Controller Remove Active Directory Users and Compute View New Window from Here Refresh Properties Properties	nk it here ers

5.	ОК	
	New GPO	¢
	Name: FR14CEx64 Install Source Starter GPO:	כ
	(none) OK Cancel]

Security Filtering(Add...(가.).)

ABBYY	FineReader 14	
ADDII		

6. **Scope**()

Г

BBYY FineReader 1	4 기	-			
📓 🗟 File Action View Windo	Group Policy M	lanagement			x ð×
 File Action View Windo File Action View Windo Group Policy Management Forest: otk12.abbyy.ru Domains otk12.abbyy.ru Default Domain FR14CEx64 Insta FR14CEx64 Insta FR14CEx66 Insta Stres Group Policy Ot Sites Group Policy Modeling Group Policy Results 	w ∐elp FR14CEx64 Install Scope Details Settings Delegation Links Display links in this location: The following sites, domains, and OUs Location for otk12.abbyy.ru < Security Filtering The gettings in this GPO can only apply Name Authenticated Users Add Bemon WMI Filtering This GPO is linked to the following WI coone>	n otk12.abbyy.ru are linked to this GPO: Enforced No III v to the following groups, use n re Properties All fiber:	Unk Enabled Yes	Path otk12 abbyy ru	8 ×
<					-



8. Group Policy Management Editor() Computer Configuration>Policies>Software Settings>Software installation (> > >).



10.**ABBYY FineReader 14.msi** (32

)

x64.msi (64 ABBYY FineReader 14

11.Advanced(



)

) ABBYY FineReader 14

12.	가	32	Advanced()	Deployment()
		Make this 32-bit X8	6 application ava	ailable	to Win64 machin	es(
32	X86	Win64)			
		Advanced Deployment Options	x			

Make this 32	bit X86 application available to Win64 machines.
	class and product information.
Product code:	{F14000FE-0001-0000-0000-074957833700}
Deployment Cour	nt: O
Script name:	\\otk12.abbyy.ru\SysVol\otk12.abbyy.ru \Policies \{C1102F19-9C13-42D6-B6CC-634CB3107876} \Machine\Applications \{C8F14C6E-800E-40B3-A65B-AD5D3E1FC68A}

13. Modifications ()

Add...(가.).

	ABBY	/Y FineRe	ader 14 P	Properties	? X
General	Deployment	Upgrades	Categories	Modifications	Security
Modifica applied	ations or transf to the packag	orms allow y e in the orde	ou to customi r shown in th	ze the package e following list:	and are
Modifica	ations:				
					Move Up
				M	o <u>v</u> e Down
Ad	d [Remove			
Importa correcti then cli	nt! Do not pres y. For more inf ck What's this	is OK until al formation, rig ?	l transforms a ht-click on th	re added and or e Modifications I	dered ist box, and
				ОК	Cancel

.

		:		
1026.mst	가			
1028.mst		()	
1029.mst				
1030.mst				
1031.mst				
1032.mst				
1033.mst				
1034.mst				
1036.mst				
1038.mst	가			
1040.mst				
1041.mst				
1042.mst				
1043.mst				
1045.mst				
1046.mst			()
1049.mst				
1051.mst				
1053.mst				
1055.mst				
1058.mst				
1061.mst				
1066.mst				

2052.mst ()

:

ABBYY FineReader

1049.mst

•

ABBYY FineReader 14 Enable 'ABBYY Website' menu item: ABBYY Enable 'Check for Updates' menu item: ABBYY FineReader 14 Enable 'Send Feedback' menu item: ABBYY Enable Usage Statistics: ABBYY FineReader 14 ABBYY Enable 'Activate...' menu item: ABBYY FineReader 14 Enable 'Register...' menu item: ABBYY FineReader 14 Enable 'Buy...' menu item: ABBYY Enable loading marketing tips from the ABBYY servers: ABBYY **ABBYY FineReader 14** Enable loading updates from the Web: Enable online help: ! *adm **ABBYY FineReader 14** : Active Directory 1. Group Policy Management() (

4-6

).

ABBYY FineReader 14 24

2. Group Policy Management Editor() User Configuration>Policies>Administrative Templates>Add/Remove Templates...(> 가 / ..) *adm > > Group Policy Management Editor Action View Help File 🗢 🌒 🙋 📊 🗟 🚺 🔻 Default Domain Policy [HYPER2012R2.OTK12.ABBYY.RU] Policy Classic Administrative Templates (ADM) ⊿ ▲ Computer Configuration Select an item to view its description. Setting Delicies ABBYY FineReader 14.00 Preferences ⊿ 🐁 User Configuration ⊿ 📔 Policies Software Settings Windows Settings Administrative Templates: Policy definitions (A) Add/Remove Templates... Control Panel Filter On Desktop Network Filter Options... Shared Folders **Re-Apply Filter** Start Menu and Taskbar All Tasks . b System Windows Components Help Classic Administrative Templates (ADM) All Settings Preferences 3. **Classic Administrative Templates (ADM)** 가Group Policy Management Editor(*adm) Group Policy Management Editor



ABRVY EinePeader 14	확인		
Change FineReader 14.00 settings			2
Change FineReader 14.00 settings	Previous Setting Next Setting		
O Not Configured Comment:			
Enabled			
O Disabled Supported on:			_
Options: Help):		
Enable 'ABBYY Website' menu item			_
☑ Enable 'Check for Updates' menu item			
☑ Enable 'Send Feedback' menu item			
Enable Usage Statistics			
Enable 'Activate' menu item			
Enable 'Register' menu item			
Enable 'Buy' menu item			
Enable loading marketing tips from the ABBYY servers			
Enable loading updates from the Web			
Enable online help			
	OK Cancel	Apply	1

.

ABBYY FineReader

Microsoft SCCM(System Center Configuration Manager)

Microsoft System	Center C	Configuration Ma	anag	er LAN				
	(,)					
SCCM					:			
1.	ABBY	Y FineReader 14	ł	("		")	
2.	,	,		:				
•								
•								
•								
3.			S	ССМ				

	: SCCM	ABBYY FineRead	er 14	
	MS	2012		
1.	(10)
	([15])
2. SC	CM Administra	ator Console (SCCM)	Software Library(
)			
3. Ap	plications() Application Ma	nagement(

•

)

Application()	~1
Folder Tools System Center 2012 R2 Configura	
Home Folder	
Create Import	
Application Application Searches • Accounts 🔐 Update Sta	
Create Search	
\leftarrow \rightarrow \checkmark \checkmark Software Library \blacktriangleright Overview \blacktriangleright Application	
Software Library <	
▲ a Overview	
 Application Management 	
Applications	
Packages	
Approval Request	
Global Conditions	
🗮 App-V Virtual Environments	
💦 Windows Sideloading Keys	
Software Updates	
Operating Systems	
🚒 Assets and Compliance	
Software Library	
wionitoring	
Administration	
- Ready	

Create

5. Create Application	n Wizard (tect information about t	this application t	from instal	lation	files()
).)	Windows
Installer (* msi).		Next()	,	
32	ABBYY FineReader 14	64		,	6	4
32	71 71					
*	Create	Application Wizard				x
General						
General Import Information	Specify settings for this a	application				
Progress Completion	Applications contain software that Applications can contain multiple d	you can deploy to users and o eployment types that customia	devices in your Conf ze the installation be	iguration Ma havior of th	anager env e applicatio	vironment. on.
	<u>A</u> utomatically detect information	about this application from in	stallation files:			
	Typ <u>e</u> : Windows Ins	staller (*.msi file)		~		
	Location: \\hyper2012	r2\FR_14_x86\ABBYY FineR	leader 14.msi		E	rowse
	Example: \\S	erver\Share\Hie				
		< <u>P</u> revious	<u>N</u> ext >	Summ	ary	Cancel

6.	ABBYY FineReader Ne	xt()	Installation Program()
	1	Crea	ate Application Wizard	X
	General Informat	tion		
	General Import Information General Information	Specify information a	bout this application	
	Summary	Na <u>m</u> e:	ABBYY FineReader 14 x86	
	Progress	Administrator comments:		
	Completion			×
		P <u>u</u> blisher:		
		Software version:		
		Optional reference:		
		Administrative categories:	▲	S <u>e</u> lect
		Specify the installation progra	m for this application and the required installation rights.	,
		Installati <u>o</u> n program:	msiexec /i "ABBYY FineReader 14.msi" /q	Bro <u>w</u> se
		Run installation program a	as 32-bit process on 64- <u>b</u> it clients.	
		Install behavior:	Install for system	~
	< III >		< <u>P</u> revious <u>N</u> ext > <u>S</u> umma	ry Cancel

t a	Create Application Wizard	X
Completion		
General Import Information General Information Summary Progress	The Create Application Wizard completed successfully Details:	
Completion	 Success: General Information: Application name: ABBYY FineReader 14 x86 Administrator comments: Publisher: Software version: Optional reference: Success: Categories: Success: Deployment type name: ABBYY FineReader 14 - Windows Installer (*.msi file) Success: Requirement rules: Success: Content: Success: Content: Installation program: msiexec /i "ABBYY FineReader 14.msi" /q Success: Detection Method: Product code: (F14000FE-0001-0000-0704957833700) 	E
< III >	Trenda Rec. Summary	

General Content Progr	ams Detection Method User Experience Requirements Return Codes Dependencies
Specify the content loca	ation and delivery options for this deployment type.
Content location:	\\hyper2012r2\FR_14_x64 Browse
	Persist <u>c</u> ontent in the client cache
	\checkmark Allow clients to share content with other clients on the same subnet
	This option allows clients that use Windows BranchCache to download content from on-premises distribution points. Content downloads from cloud-based distribution points can always be shared by clients that use Windows BranchCache.
Allow clients to use	a fallback source location for content
Allo <u>w</u> clients to use a When this content is source location for c	a fallback source location for content s not available on any preferred distribution points, you can allow the client to use a fallback content.
Allow clients to use a When this content is source location for a Select the deployment o uses a fallback source to Deployment options:	a fallback source location for content s not available on any preferred distribution points, you can allow the client to use a fallback content. option to use when a client is within a slow or unreliable network boundary, or when the client ocation for content.
Allow clients to use a When this content is source location for a Select the deployment o uses a fallback source to Deployment options:	a fallback source location for content s not available on any preferred distribution points, you can allow the client to use a fallback content. option to use when a client is within a slow or unreliable network boundary, or when the client ocation for content. Download content from distribution point and run locally
Allow clients to use a When this content is source location for c Select the deployment o uses a fallback source to Deployment options:	a fallback source location for content s not available on any preferred distribution points, you can allow the client to use a fallback content. option to use when a client is within a slow or unreliable network boundary, or when the client ocation for content. Download content from distribution point and run locally
Allow clients to use a When this content is source location for a Select the deployment o uses a fallback source k Deployment options:	a fallback source location for content s not available on any preferred distribution points, you can allow the client to use a fallback content. option to use when a client is within a slow or unreliable network boundary, or when the client ocation for content. Download content from distribution point and run locally

	_	
2		
c		1

.

가 Properties()

b. Distrib	ution Settings()	Automatically download
content when packages a	re assigned to distr	ibution poir	nts(가
)		
	ABBYY FineReade	er 14 x86 Prope	erties X
Security			
General Information Application Catal	og References Distribution S	ettings Deploymen	t Types Content Locations Supersedence
Specify the distribution settings for thi	s package.		
Use distribution priority to determine the that you configure to have a high prior same priority are sent in the order in w	ne order in which packages are s nty are sent before packages the hich they are created.	sent to other sites and at have a medium pri	d the distribution points in the same site. Packages only or a low priority. Packages that have the
Distribution priority:	Medium		~
Distribute the content for this particular prestaged distribution point settings Automatically download content	ne preferred distribution points. ackage to preferred distribution p	oints o distribution points	
Download only content change	es to the distribution point	-	
Manually copy the content in the	is package to the distribution po	int	
			OK Cancel Apply

9. :						
Deployme	ent Type	s()	ABBYY Fine	Reader 14	Windows Installer	Edit(
)			Content()	Deployment op	otions(
) Do	ownload	l content from d	listribution poi	int and run	locally(
)				
10.					가	
Deploy()	.Collec	tion()	6	Device Collection()

•

: User Collection()

	Select Collection	X
Device Collections	✓ Filter	P
🧾 Root	Name	Member Count
	All Mobile Devices	2
	All Systems	4
	🗳 All Unknown Computers	2
	🐓 x64 Stations	2
		0
		OK Cancel

ABBYY FineReader 14

ABBYY FineReader 14	:
1. ABBYY FineReader 14 > 기	· , >
2. 가	
ABBYY FineReader 14 Citrix XenApp 7.0 2012 R2). ABBYY FineReader 14	7.0 (Windows RemoteApp Citrix XenApp ABBYY FineReader 14 기 .
.RemoteApp Citrix XenApp ABBYY Screenshot Reader	ABBYY Screenshot Reader
1. ABBYY FineReader 14	
2. ABBYY FineReader 14 :	
3. XenApp .	Windows RemoteApp Citrix
ABBYY FineReader 14	
1 LAN	10
2	

3. 가.

4. ABBYY FineReader 14

ABBYY FineReader

FineReader

.

1. 가 FineReader ABBYY

,

.

2. ABBYY Screenshot Reader가

Windows RemoteApp

.

.

Citrix XenApp

ABBYY FineReader 14

1. Microsoft Windows Server 2012 R2, 2008 R2 () ,RemoteApp

•

2. Citrix XenApp 7.9

Windows RemoteApp

:

.

RemoteApp	ABBYY FineReader 14	MS	2012 R2	RemoteApp

ABBYY FineReader 14

>)

1. Server Manager()Remote Desktop Services > Collections(

.

2.		TASKS>Create Session Collection(>)	
(Server M	lanager • Remote Desktop Services • Collections		• 🕄 🚩 <u>M</u> anage <u>I</u> ools <u>V</u> iew <u>H</u> e	lp
	Coverview Servers Collections Collections	COLLECTIONS Last refreshed on 15.08.2016 13:37:23 All collections 0 total		YASKS ▼ Create Virtual Desktop Collection Create Session Collection Edit Deployment Properties	

Ê	Create Collection
Before You Begin Collection Name RD Session Host User Groups User Profile Disks Confirmation Progress	Create Collection Ction A session collection name is displayed to users when they log on to a Remote Desktop Web Access server. Name: FineReader Collection Description (optional):
	< Previous Next > Create Cancel



Ê	Create Collection	_ D X
Coocify year ar		
specify user gro	Sups	
Before You Begin	Add the user groups that should have access to connect to the collection.	
Collection Name	User Groups:	
RD Session Host	OTK\Domain Users	<u>A</u> dd
User Groups		<u>R</u> emove
User Profile Disks		
Confirmation		
Progress		
	Constant	Cancel
		Cancel

6. User Profile Disc()	가	
7. Create()				
ABBYY FineReader 14	가			
1. Server Manager(collection]() >	Remote >[Desktop Serv])	ices>Collection>[name of

2.	TAS	SKS>Publish R	emoteApp Programs(>	Remote/	Арр).	
	\mathbf{E}	● ▼ Server Manag	ger • Remote Desktop Services • Collecti	ons • FineRea	ader Collection	- 🕝 🚩 Manage	Tools View	Help
	III III → I© P (⊗) →	Overview Servers Collections FineReader Collection	PROPERTIES Properties of the collection Collection Type Session Resources Remote Desktop User Group OTIK/Domain Users	TASKS	CONNECTIONS Last refreshed on 15.08.2016 13x <i>Filter</i> Server FQDN User Session S	18:28 All connections 0 total	TAS Idle Time	iks ▼ ⊙
			REMOTEAPP PROGRAMS Published RemoteApp programs 0 total Remote Desktop is published for the users of the collection. Publish RemoteApp programs Publishing RemoteApp programs will unpublish the Remote Des	TASKS Publish Remote Unpublish Remote ktop.	App Programs			=

Next()

a	Publish RemoteApp Pro	ograms	_ □	x
Confirmation				
RemoteApp Programs	Confirm that the list of RemoteApp progr	ams to be published is correct, and then	lick Publish	
Confirmation	1 RemoteApp program:			
Publishing	RemoteApp Program	Location		
Completion	ABBYY FineReader 14	%SYSTEMDRIVE%\Program Files (x86)	\ABBYY Fi	
	< <u>P</u> rev	vious Next > Publish	Canc	el

Citrix XenApp

Citrix XenA	op ABBYY FineRea	der 14 Install	ed application accessed from a
server(ABBYY Fine	Reader 14)	
1. Citrix	*	FineReader	
2.			FineReader
	가 FineReader	ABBYY	

*	,	Citrix

.

.

: Citrix XenApp 7.9

- 1. Citrix (7.0)
- 2. ABBYY FineReader 14
- 3. FineReader 가.
- 1. Delivery Groups>Create Delivery group (>)

2. Machines()

	Create Delivery	Group	
Studio	Machines		
	Select a Machine Catalog.		
	Catalog	Туре	Machines
 Introduction 	FR POOL	RDS Manual Randor	m 2
Machines			
Users			
Desitions			
Summary			
	Choose the number of machines for	or this Delivery Group:	2 - +
		<u>B</u> ack	Next Cancel

가

3. **Users()** , 가

,

Studio	Users			
	Specify who can use the applications and desktops in this Delivery Group. You can assign users and user groups who log on with valid credentials. Alternatively or additionally, you can enable access for unauthenticated users.			
Machines	Allow any authenticated users to use this Delivery Group.			
Users	Restrict use of this Delivery Group to the following users:			
Applications Desktops Summary	Add users and groups			
	Add Remove Give access to unauthenticated (anonymous) users; no credentials are required to access StoreFront This feature requires a StoreFront store for unauthenticated users.			

4. Applications() Add...(가..)

Studio	Applications
Introduction	To add applications, click "Add" and choose a source. Then select applications from that source. If you choose Application Groups, all current and future applications in the selected groups will be added. You can also place new applications in a non-default folder and change application properties.
✓ Machines ✓ Users	Add applications
Applications	
Desktops	AR 94
Summary	
	Add Remove Properties
	Place the new applications in folder:
	The Applications \
	Change

4.1.

1. ... ABBYY FineReader 14

가 FineReader

.

-	Name	+	
✓	ABBYY Compare Documents		1
✓	ABBYY FineReader 14		
~	ABBYY Hot Folder		ľ
✓	ABBYY Screenshot Reader		ľ
	Administrative Tools		
	Calculator		
	Character Map		
	Citrix Receiver		
	🗱 Citrix Scout		
	🞇 Citrix Studio		
	Command Prompt		
	Default Programs		١.,

ЮK

		가	가	Working directory(
)	ABBYY FineReader 14			Path to the executable file(
)	FineReader.exe			
	.OK			
	Add Applications Manually			
Add an Application You can add applicatio	Manually ons from the virtual machine in this Delivery G tion.	iroup or from a		
Path to the executabl	e file:			
%ProgramFiles(x86)%	6\ABBYY FineReader 14\FineReader.exe			
Command line argum	nent (optional):			
Example: http://www	example.com			
Working directory:				
%ProgramFiles(x86)%	6\ABBYY FineReader 14	Browse		
Application name (fo	r user):			
FineReader				
Application name (fo	r administrator):			
FineReader				
	ОК	Cancel		
PVV FineDood	or 14			71

Next() Create Delivery Group Applications Studio To add applications, click "Add" and choose a source. Then select applications from that source. If you choose Application Groups, all current and future applications in the selected groups will be added. You can also place new applications in a non-default folder and change application ✓ Introduction properties. ✓ Machines Name ÷ ✓ Users C FineReader Applications Desktops Summary Add... • Remove Properties... Place the new applications in folder: Applications Change... Cancel Back Next

5.	Desktops()	가 .
6.	Summary() Delivery Group descu) 7	Delivery Group name() iption, used as label in Receiver (optional) ()
7.	StoreFront below(Edit Delivery Group() Automatically, using the StoreFront servers selected StoreFront)
	StoreFront	
		Edit Delivery Group
	Studio	StoreFront
	Users Desktops Application Prelaunch Application Lingering User Settings StoreFront Access Policy Restart Schedule	Which StoreFront servers do you want the Receiver on each machine in this Delivery Group to use? The StoreFront console lists servers that connect to these machines; if you want users to be able to access additional applications, you can specify different StoreFront servers below, or from the Configuration > StoreFront node. How do you want to configure StoreFront information for Receiver on each of the machines in this Delivery Group? Manually, using a StoreFront server address that I will provide later Automatically, using the StoreFront servers selected below Receiver Storefront URL http://hyper2012r2.otk.abbyy.ru/Citrix/FRStore Add new
		OK Cancel Apply
AE	BYY FineReader 14	가 :
1.	FineReader 가	Add Applications(기)
2.	<u>4</u> 48]	ABBYY FineReader 14 기 .

,



1.	
	%programfiles%\Common Files\ABBYY\FineReader\14.00\Licensing\Licensing.ini
	가 .
2.	:
	•
	54 .
	•
	- Feb
	:
	[Licensing]
	ConnectionProtocolType=TCP\IP
	ConnectionEndpointName=81
	: %programfiles%\Common Files\ABBYY\
	FineReader\14.00\Licensing\NetworkLicenseServer.exe
	y
3.	Licensing.ini
	• 가 (%
	programfiles%\ABBYY FineReader 14 License Server)
	• FineReader.exe/F (: \\WyFileServer\Distribs\
	ABBYY FineReader 14)
	! ABBYY FineReader 14 .
л	APRVV FinePeader
4.	
	ABBYY FineReader 14 [18]
[L	icensing]
Co	onnectionProtocolType=[TCP\IP NAMED PIPES()]
	(TCP\IP) .
•	가
•	ABBYY FINEReader
	71

[Licensing] ConnectionEndpointName=[TCP\IP |]

가

ABBYY FineReader

ABBYY FineReader 14 ABBYY FineReader 14

:

 1. Start()> Control Panel() Programs and Features()

 2.

 ABBYY FineReader 14

 Change()

 3.

 Program Maintenance()

 Next()

:

4.

•

:

ABBYY FineReader 14

.

msiexec /f {F14000CE-0001-0000-0000-074957833700}

msiexec /x {F14000FE-0001-6400-0000-074957833700} (64

)

LAN ABBYY FineReader			
	가	:	
1. 가			
:	2 가		
1.1.Start()> Control Panel() Programs a	nd Features()
1.2. ABBY	/Y FineReader 14 Lic	cense Server	Remove()
2. (: \\NewServer)			
3. 가			
[Licensing]			
NetworkServerName=<	> 가	· .	
%Program Files%\ABBYY FineReade	er 14 License Server∖L	icenseManager.ini	
	가		- ,
[Licensing] NetworkServerName=MyComput	erName		
i Abbi	Y FINEREAGER 14		
4. ABBYY FineReader 14 FineReader	가.		ABBYY
5. ABBYY FineRe	eader 14	Licensing.ini	
REF _Ref246845256 \h	DRMAT	-	
·		13	
6. Licensing.ini Netwo	rkServerName	[Licensing]	가 .
[Licensing]			
NetworkServerName=MyComput	erName		
7. ABBYY FineReader			
ABB		18	
	YY FineReader 14		
	YY FineReader 14		
8. <computer name="">.ABBYY.LicS</computer>	erver	. <computer< th=""><th>NAME></th></computer<>	NAME>
8. <computer name="">.ABBYY.LicS NetworkServerName <computer name="">.ABBYY LicS</computer></computer>	erver . : MyCom	. <computer puterName.ABBYY.Lic</computer 	NAME> Server .

ABBYY <u>www.abbyy.com</u> 'Support()" ABBYY FineReader 14 ABBYY

.

•

© 2017 ABBYY Production LLC. ABBYY, ABBYY FineReader, FineReader, ADRT Adaptive Document Recognition Technology ABBYY Software Ltd.

© 2000-2012 Datalogics, Inc. Datalogics[®], DL Logo[®], PDF2IMG[™] DLE™ Datalogics, Inc. © 1984-2012 Adobe Systems Incorporated 가 All rights reserved. Adobe®, Acrobat®, Adobe Logo®, the Adobe PDF logo®, Adobe® PDF Library™, 가 Powered by Adobe PDF Library logo, Reader® / Adobe Systems Incorporated © 2008 Celartem, Inc.가 .All rights reserved.

Image: served.

Image

Copyright © 1991-2016 Unicode, Inc. All rights reserved.

http://www.unicode.org/copyright.html



JasPer 2.0:

Copyright © 2001-2006 Michael David Adams

Copyright © 1999-2000 Image Power, Inc.

Copyright © 1999-2000 The University of British Columbia

All rights reserved.

: opyright $\ensuremath{\mathbb{C}}$ 2009 The FreeType Project (www.freetype.org). All rights reserved.

Independent JPEG Group

Tracker Software Products Ltd PDF-XChange Standard © 2001-2013.

© Microsoft Corporation. All rights reserved. Microsoft, Active Directory, Excel, Office 365, OneDrive, Outlook, PowerPoint, SharePoint, Visio, Windows, Windows Server, Windows Design 2012 / 가 Microsoft Corporation

Apache, OpenOfficeGull/가Apache SoftwareFoundation.Apache Software Foundation

Copyright (c) 1997,1998,2002,2007 Adobe Systems Incorporated

Copyright © 2010-2013 Marti Maria Saguer. All rights reserved.

Copyright (c) 2003 Calyptix Security Corporation

All rights reserved.?

Yliang Zheng가 Calyptix Security Corporation

Miama Nueva Copyright (c) 2014, Linus Romer, with Reserved Font Name Miama Nueva.

Pecita Copyright (c) 2009-2015, Philippe Cochy, (http://pecita.eu), with Reserved Font Name Pecita.

Bad Script Regular Copyright (c) 2011, Cyreal (www.cyreal.org) with Reserved Font Name "Bad Script".

SIL Open Font License, Version 1.1 가

FAQ

: http://scripts.sil.org/OFL

MD5C.C - RSA Data Security, Inc., MD5 message-digest algorithm

Copyright (C) 1991-2, RSA Data Security, Inc. Created 1991. All rights reserved.

RSA Data Security, Inc .MD5 Message-Digest Algorithm.

Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved. **OpenSSL** Project 가 OpenSSL Toolkit (http://www.openssl.org/) Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com) All rights reserved. Eric Young 가 (eay@cryptsoft.com) Eric Young Tim Hudson 가 (tjh@cryptsoft.com). OpenSSL License Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved. : 1. .2 / .3. • " **OpenSSL** Toolkit OpenSSL Project가 가 (http://www.openssl.org/)" 4. "OpenSSL Toolkit" "OpenSSL Project" 가 가 openssl-core@openssl.org 가 **OpenSSL** Project "OpenSSL" 'OpenSSL" .6. • " OpenSSL Toolkit OpenSSL Project가 가 . (http://www.openssl.org/)" **OpenSSL PROJECT** () () 가 () 가 Eric Young 가 (eay@cryptsoft.com). Tim Hudson (tjh@cryptsoft.com). SSLeay Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com) All rights reserved. Eric Young SSL (eay@cryptsoft.com). Netscapes SSL SSL RC4, RSA, Ihash, DES SSL Tim

Hudson(tjh@cryptsoft.com)

Copyright 2006-2011, V8

Copyright 2014, V8

:

,

,

*

*

.All rights reserved.

.All rights reserved.

/ • * Google Inc. 가 " ... () (, ,) , , , , 가 () ,

,

,

V8 / Strongtalk

Copyright (c) 1994-2006 Sun Microsystems Inc.

All rights reserved.

*

*

/

:

* Sun Microsystems

(

가

(

)

)

, , ,

EPUBIDPF (International Digital Publishing Forum)

(EU)

/

JavaScript Oracle /

Amazon, Kindle, Amazon.com, Inc.

Arial Monotype Corporation

Palatino Monotype Imaging Inc.

Palatino

Bigelow & Holmes Inc.

가

"

Corel WordPerfect

가 Corel Corporation /

65

)

Citrix, Citrix XenApp,	Citrix	Citrix Sy	/stems, Inc.	/		
	가				ABC ED	UCATION
SERVICES		Citrix Systen	ns, Inc.			
		, ,			.Citrix	
			,	,	3	,가
.Citrix, Citrix	3	, ,				
		(,	,		

.

.

66

•