© 2017 ABBYY Production LLC.

" " ABBYY 기

273

.

•

		•••••••••••••••••••••••••••••••••••••••	••••••
ABBYY FineR	Reader		
ABBYY FineR	Reader		
••••••••			
PDF			
PDF			
MS			
Microso	oft Excel		
••••			
	•••••		
	litor		
PDF	 oft Word		
Microso	oft Excel		
i i i i i i i i i i i i i i i i i i i			
PDF			
PDF			
PDF			
PDF PDF			
PDF PDF PDF	 PDF	가	
PDF PDF PDF PDF	 PDF 7ŀ	가	
PDF PDF PDF PDF	 PDF 7۲	가	
PDF PDF PDF	 PDF 71		
PDF PDF PDF	 PDF 가	가	

		가					
			가				
		가					
	••••••						
PDF							
	PDF						
	PDF						 100
PDF							 101
			PDF				 101
	가		PDF	••••			 101
PDF							 102
	PDF	•••••					 103
	PDF/A						 104
							 106
	PDF				••••••	••••••	 107
	PDF	OCR					 108
	PDF		•••••				
	PDF	•••••			••••••	••••••	 109
		•••••		•••••	•••••	••••••	 110
OCR	Editor						 110
OCR	Editor						 111
							 115
		PDF					 115
							 116
							 117
	OCR						 118
	OCR						 123
OCR	ł	•••••					 124
			OCR	가	••••••		 125
							 128
							 131
			가		•••••		 132

		가		33
				34
				36
			가 ?" "13	37
				38
		가		11
				12
				14
				ł5
				16
				19
				50
				51
				51
				52
0	CR			53
	PDF			55
	가			56
				58
	E-book			;9
	HTML			50
				51
	OCR	PDF		52
	OCR			53
	OCR	Kindle		4ر
		••••••••••		4
				55
N	1S			58
OCR			16	9
۰ en ۸	BBVV FineRes	der	17	70
A A		dor	17	72
A		uer		5
ABBYY	/			7
A	BBYY			78
				'9
				31
				32
				34
				36

YY	
PDF	
PDF	
DOC(X)/RTF/ODT	
XLS(X)	
PPTX	
CSV	
тхт	
HTML	
EPUB/FB2	
DjVu	
OCR	
OCR	
OCR	
, /	
YY FineReader 14 ,	
ABBYY FineReader	
ABBYY FineReader	
ABBYY FineReader	
••••••	

ABBYY FineReader

- <u>ABBYY FineReader</u> เจ้า
- <u>ABBYY FineReader</u>

ABBYY[®] FineReader 14

ABBYY FineReader				
ABBYY FineReader 14		PDF	OCR, PDF	
ABBYY FineReader 14	·			
•13 PDF PDF)	가	(Microsoft® Word, N	licrosoft Excel ®,	가
o ABBYY FineReader OCR	ABBYY Fi	neReader ,	,	,
。ABBYY FineReader	3		가	
o ABBYY FineReader	가			OCR
•	PDF			
ABBYY FineReader				



9

,

,

.

• ABBYY FineReader 14

. W	/ord		
ABBYY Hot Folder		173 *	
• ABBYY Hot Folder ABBYY FineReader 가	14 가		
ABBYY Screenshot Reader		가	187
가			**
* ABBYY FineReader 14			
http://www.ABBYY.com/FineReader			
**ABBYY Screenshot Reader	ABBYY FineRead	ler 14	

,

OCR

- 가
- •
- .
- (1) 가 OCR 가

PDF

• 가 PDF 가

.

ABBYY FineReader *docx, *.xlsx, *.rtf PDF
 PDF .

PDF

PDF

• PDF (PDF) .

.

- PDF PDF
- PDF 가
- PDF
- .
- , ,
- Bates 가 .
- •

.

• . . , PDF

.

PDF

• PDF

 PDF 	PDF/A	PDF		,	,
PDF	,				
					ABBYY
FineReader가		OCR	PDF		





• PDF OCR



- <u>PDF</u> 15
- _____ 17
- _____26
- ______29
- ______32

PDF

ABBYY FineReader	, PDF ,	가
가	, , , .	
PDF 기	<u>t</u>	
	PDF	. PDF Editor
[47]	I 58 [
	51,84,54 164	
	책갈피 검색	코멘트
페이지 탐색 및 관리	책갈피 생성, 편집 및 탐색 정보를 강조	코멘트 보기, 편집 및 탐색
Document_2108 - ABBYY FineR	eader 14	– – ×
파일(F) 편집(E) 보기(V) 도구	¹ (T) 도움말(H)	🌟 이 제품 평가 🌣 😲
🖻 🖿 🗎 B 🖻 • 🕅]	∽ ∩ » <mark>₩₽₽F ⊑ न</mark> 🖳 3
🗋 페이지 🛛 🗙	Optical zoom An anti-shake feature Auto focus assist beam or manual focusing	설명 ×
	Manual aperture control or aperture priority mode General Tips	설명 검색 Q
Q definition of the definition of the	Try to take 2-3 shots of the same document to make sure your hands are stable and an in out blurry or a corner of the document vasn't cut off.	↓ A ² Z • ▼ • Ξ
	Camera Positioning and Focus Position the lens parallel to the plane of the document.	Alex Fox
	Fit the entire document into the frame. Focus on the center of a page. Use the camera's optical zoom to zoom in on the document a	Should add some examples.
	around the document.	ALebedeva
Verklank komplexektions Verklank komplexektions Verkla	Lighting and Flash Make sure inere is sufficient lighting. Natural light is the best.	Ok
	 If you have to take a picture of a document in poor lighting and need the flash, try from 20 inches away and try to find edditional light sources. 	<u>회신 추가</u>
	Extra Tips for Advanced Users And finally, if you know your camera "inside out" and wish to improve your skills h photog	ALebedeva 24.10.2016 15:42 페이지 2
2	 and books or wish to achieve good results in some special conditions, there are a few extine Use the white balance feature. If your camera has manual white balance, use a w to set white balance. Otherwise, select the appropriate balance mode for your light for the appropriate balance mode for your light. 	It's necessary to give an explanation: OCR - Optical Character Recognition.
	 Enable the anti-shake setting: otherwise, use a tripod. h poor lighting conditions: Auto focus may function incorrectly: therefore, you should switch to manual focus. 	MValentina
	 Use the maximum aperture allowed by the camera (2.3 or 4.5). (In bright daylight, apertures: this will produce sharper images). If your camera gives you more than one choice of ISO speed, select the highest is 	24.10.2016 15:44 페이지 2 Change font. please
		ALebedeva
	< >> >	24.10.2016 15:44 Why not?

.

ABBYY FineReader

- •_____59], ,
- _____61 , ,



.

.

PDF

ABBYY FineReader가



PDF

ABBYY FineReader



PDF

.

PDF



	• PDF	가				
	(*.odt, *.pptx, *.epub, *.htn	nl) .				
2.	1					
	3. 원하는 변환 설정을 선택하세요	4. 파일 추가 혹은 제거				
	ABBYY FineReader 14	– 🗆 X				
	파일(F) 편집(E) 보기(V) 도구(T) 도움말(H) 🌟 이 제품 평가				
	◀ 새 작업					
	PDF 로 변환	다. · · · · · · · · · · · · · · · · · · ·				
	이미지 품질:	5				
	균형 유지 🗸	Document 1.docx				
	전체 텍스트 검색:	Document 2.xlsx				
	원래 문서 대상 🛛 🗸					
	PDF/문서 만들기					
	₩RC 압축 사용	Scan.png				
	OCR 언어:					
	English (SER); 프 랑 스 어 🛛 🗸	☑ 모든 파일들을 하나의 문서로 통합				
	이미지 사전처리 설정					
	PDF로 변환					
	취소					
	5 변화배트음					
	클릭하세요					
3.						

- 3.
- 가 4.

,

5. <format>

6.

.

•

•

1.			
2.			
3.			
4.	가		

	5. 파일을 병합하기 전에 순서를 변경할 수 있습니다
ABBYY FineReader 14	- 🗆 X
파일(F) 편집(E) 보기(V) 도구(T) 도움말(◀ 새 작업	H) 📩 📩 여세움 평가
PDF 로 변환	다. · · · · · · · · · · · · · · · · · · ·
이미지 품질: 규형 유지 🗸	Document 1 docx
전체 텍스트 검색:	Document 2.xlsx
원래 문서 대상 🗸	Document 3.txt
☑ PDF/관지 전철기 ☑ MRC 압축 사용	Scan.png
OCR 언어: English (SER); 프 랑 스 어 V	☑ 모든 파일들을 하나의 문서로 통합
<u>이미지 사전처리 설정</u> <u>기타 옵션</u>	
PDF로 변환	
취소	

6. <format>

,

7.

•

.

.



- <u>PDF</u> 21
- Microsoft Word
 23
- <u>Microsoft Excel</u>

 25
- _____26

PDF

- PDF .
- PDF
- PDF .
- _.
- 가 PDF .
- PDF/ A .

1. **PDF**

- 2. 1
- 3. .

3.1.

- •
- .
 - PDF
 - •
 - ...

3.2.

- ・ ・ ア
- アト .
- 가.

- - · ·
 - ·

 - - PDF

PDF

- .
- - . 가
- .

PDF



4. 가

- 5. .
- PDF .
 7.

.

, PDF

MS	DUE	Microsoft Word
225	Microsoft Word	· ·
1.		Microsoft Word.
2.	1	
3.		
3.1		
•		
• 가		
•		
,	,	
•		
3.2. OCR 3.3.		. : 228 [

- 3.4. , ,
- 3.5.
 ...
 DOC(X)/RTF/ODT 2001
 2001
 .

 4.
 7 .
 .

 5.
 Word
 .
- 6. . ,Microsoft Word 기
- 1. Microsoft Word.



•

Microsoft Excel

	,		PDF	, Microsoft Excel	
225			Excel		
1	1.			Microsoft Excel	
2	2.		1		
	2				
	3.1.	•			
	•				
	·				
		,	,		
	•				
	3.2 OCR			• 228	
	3.2. 0 C N			· · ·	
	3.3.	(XLSX)		
	3.1		(XI SX)	
	J Microsof	t Excel	(ALSA)	
	Wilefosol	t Excer			
	3.5.		XLS(X) [211]	204	
2	1		7ŀ		
	т.			•	
5	5.	Excel			
F	s				
, c	J.	Mic	rosoft Excel		
		ivine.		•	
1	1			Microsoft Even	
	1.				
2	2.				
-					
3	2		25		
	3.		25]		
2	3. 4.		25]. 가		
2	3. 4. -		25]. 가		
2	3. 4. 5.		25]. 가		

Microsoft Excel

,

.djvu)	PDF			(.pptx, *.odt, *.html, *.epub, *.fl	o2, *.rtf, *.txt, *.csv,
1.					
2.		1			
3.					
	3.1.				
	3.2. OCR				
	3.3.			204	
4.		가			
5.	<format></format>				
6.			-1		
		,	가		
1					
۱. د					
2.					
5.		1201. 7L			
4. 5		~1			
5.	cformats				·
0.					
		,	가		
ABBYY Fir	eReader _	OCR		OCR Editor الس	OCR Editor

,

•

.

OCR



가

, ,



(ABBYY FineReader 1 http://www.ABBYY.com/FineRe	14 Pader.)	. :	
ABBYY FineReader	ABBYY ABBYY	()
ABBYY		АВВҮҮ	
• Windows	ABBYY	FineReader 14 >	ABBYY
(Windows 1	0 ABBYY FineReader 14 >	ABBYY)	

• Windows ______ 165 7

1. 비교하려는 문서를 하나 여십시오	2. 비교하려는 다른 문서를 하나 여십시오 선택;	서의 언어를 하세요 비튼을 클릭합니다	
🛃 Document#1.pdf / Document#2.docx	- ABBYY 등서 비교	- 0	×
파일(F) 편집(E) 보기(W) 비교하기(C) 도움 <mark>말</mark> (H)	🔶 이 🛪	예품 평가
C:\User\Document#1.pdf 🔻 📗	C:\Us\Document#2.docx 🔻 🖿	비교하기 차이컴	
$\exists 1, 4 - \leftrightarrow + =$	1/3 - ↔ + ≠	문서 <mark>.</mark> 언어(D):	
^	<u>^</u>	러시아어	\sim
That ISON we Uncertain Agreement # 1245/2 This Vie Manne Stars agreement and a first starting and the start and the SM starting and advects a vie to the start and the start and start starting and the start and the SM starting the starting agreement and the start and the start start and the start and the start and the start and the start and the start and the start start and the start and the start and the start the start and the start and the start and the start start and the start and the start and the start and the start the start and the start the start and the start and th	Trial Software License Agreement # 1248/2 Mill to Versional and the second status of the sec	☑ 철자 차이 찾기(F) ☑ 한 글자 차이 찾기(O)	
 All All (Advances Instatyment RE) means any line of application and a significant to be formulated. All All (Advances Instatyment RE) means any line of application in the line of an application in the technic and the application of any application of the technic application. All (Advances Instatyment RE) means and the application of the line of application of the technic application of the technic application of the application of technic application. All (Advances Instatyment RE) and the application of the application of technic application of technic application of technic application of technic applications and technic applications a	 Togging plants longing in the life making data was at a publication of functions for extensioning providing. All the data was an extension of the data was an extension of the data was a function of the data of the data was an extension of the data was an extension of the first of the data was a function in providing the data of the data was and the data was and the first of the data was a function on the data was and was an extension of the first of the data was an extension of the first of the data was a function of the data was an extension of the data was and the data was a state of the data was a function of the data was appeared on the data was and the data was application on the data was a function of the data was an extension of the data was application of the data was and the data was a state of the data was a function of the data was an extension of the data was application on the data was a state of the data was a function of the data was a function of the data was a function of the data was application of the data was a function of the data was application of the data	비교하기(C)	
 Margin Link Control (1997) And Annu and Annu	 Bernstein auf der Schler eine Bernstein eine Bernstein der Bernstein der		
 The statement of the state state and the state state state and the state stat	. Maria and a second se		

1. ABBYY

3.					
	6. 차미점을 주석이 달린 PDF 문서로 저장합니다	5. 차미점	보기	<mark>6.</mark> 차이점 워드 문서	을 Microsoft Word 로 저장합니다
	2 Document#1.pdf / Document#2.docx -	·ABEYY 문서 비교			– 🗆 🗙
	표 <mark>일(F) 편집(E) 보기(W) 비교하기((</mark>	C) 도움말(H)			┿ 이 제품 평가
	C: User\Document#1.pdf 🔻 📗	C:\Js\Document#2.docx		비교하기	차이점 (17)
	(☐) 4/4 - ↔ + =	(=) 3/3 - ↔ +	\$	↓↑ 🖬 [
	▲ 머리글	머리글	^	 본문 (9) 	
	The Section 3.4. The section of	14. The spatial or of a filling spatial till a parameters to be determined as a set of the filling spatial tilling spatial	Analised In Aryun In Install - Albert II Analised a sector of the Analised approx RC, or any part of the Analised II analisy of the	← 텍스트 삭제됨 Signature:	페이지 4 <> 3 ^
	Security () is all any property approximation control and project parts () is a support part	 Section 2.4 Contract the section of th	an of the Congany and Any public a Start public. In a start public, and the substitute of and the Starting of And Start Starting of And Start Starting of And Start Start Days	텍스트 편집됨 ← 10.LAW → LAW	페이지 4 <> 3
	14. Weblieve Constructions 15. The Weblieve Constructions 16. The Weblieve Constructions <th> The Agenetic Act of Lagrangian provide the action of Action Act of the Actional Experimental Systems and Action actions and Actional Action actions and Action Control Actional Action actions and Actional Action actions and Action actional Actionations in the Action action action action action action action actions. Action action action action action action action action action actions. Action action (1). A Control Action Action Action Action Actional Actionactional Actional Actionactional Actional Actional Actionacti</th> <th>ntin din kala gin Cavellani Alig in In Agen was vit In alig in acceler in acceler reliain in the R</th> <th>→ 텍스트 추가됨 The Company</th> <th>페이지 4 <> 3</th>	 The Agenetic Act of Lagrangian provide the action of Action Act of the Actional Experimental Systems and Action actions and Actional Action actions and Action Control Actional Action actions and Actional Action actions and Action actional Actionations in the Action action action action action action action actions. Action action action action action action action action action actions. Action action (1). A Control Action Action Action Action Actional Actionactional Actional Actionactional Actional Actional Actionacti	ntin din kala gin Cavellani Alig in In Agen was vit In alig in acceler in acceler reliain in the R	→ 텍스트 추가됨 The Company	페이지 4 <> 3
	n bi ma daaraf ka jaka kasa kasa da aasak taa da garaak taa da aasak taa da aasak taa da aasak taa da aasak ta ahaa da aasak da aasak da aasak taa da aasak da aasak taa da aasak da aasak da aasak da aasak da aasak da aasak Ya kabat Shadayaaa Ya kabat Shadayaaa Ya kabat Shadayaaa	Ergensenheit The Standards Name Standards Anna Standards Name Standards		→ 텍스트 추가됨 Title: Chief Technical (페이지 4 <> 3 Officer Signature:
					~
				▶ 머리글 및 바닥	글 (1)
	× >	<	<u> </u>	▶ 번호 매기기 (7))







- OCR OCR Editor
- **PDF** / PDF .
- Microsoft Word / Microsoft Word .
- Microsoft Excel / Microsoft Excel .
- /

	•	/	가
		(odt, pptx, epub, html)	
	5. 작업 설정을 명기하세요	(2. 장치를 선택하고 스캔 설정을 명기하세요
	ABBYY FineReader 14		– – ×
	파일(F) 편집(E) 보기(V) 도·	구(T) 도움말(H)	🌟 이 제품 평가
	● 새 작업	CanoScan LiDE 110 (TWAIN)	
	PDF로 스캔	<u>기기 선택(s)</u> 회색	▼ 〇: ▼ 〇: ▼ 〇: ▼ ○ ▼ □ ▼ □ ▼ □ ▼
		· · · · · · · · · · · · · · · · · · ·	
	━ □ PDF/문서 만들기	Digital Camera O	AUETT Frontinging (KC)
	→ ☑ MRC 압축 사용	un pad caracteria transmission tan batteria transmission Alternative Way to Dig Tang Trans	The right Crimes a constraint of the constraint and Basels a constraint of the constraint and Basels a constraint of the constraint and Basels a constraint of the constraint
	- 너이미지상의 텍스트 인식		and non-a dH1***Pariates (OI or it applies haughts) by a set of the set of t
	OCR 언어: English (SER); 프 람 스 어	Using Eligibit Crewen is Addressen is Addressen is advectioned and advectioned advectione	Captern Test land is landing of setting the other source each provide in the fail land, or the setting of the land of the source each provide the fail land of the provide provide provide the source of the source of the source interfails. A failing and many two shall an even of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source
	이미지 사전처리 설정	amond in a constanting and a Method process that the analysis of the analysis of the analysis properties that a starting the analysis problem in analysis of the analysis of the analysis of the analysis A subject constanting of the analysis of the	Ne wildes die samme von der sonder auf die eine die sonder auf die eine wirden geschellig aller einerwente, dage sammer wir die walt is a "Na waltere Nat waltere finne bannens, protein, Unterste, walt.
	<u>기타옵션</u>		ann mar an 1 an 1 agus anns anns ann ann an 1 anns an 1 anns an 1 anns an 1
	DDF로 스캐		
			Ļ
	취소 · · · · · · · · · · · · · · · · · · ·		리 보기(<u>P)</u>
	6. 스캔 버튼을 클릭하세요	4. 이미지를 검토합니다	3. 미리보기 버튼을 클릭하세요
2			
۷.		195 .	
3.			
4.		3	
5.			
6. <format></format>			
7.	3		
0			71
8.			71 .
9.	1		
			110 [
	• PDF		
	OCR Editor		

•

::

OCR Editor

.

.

4

• OCR Editor 35

•

- <u>PDF</u> 37
- <u>Microsoft Word</u> [39]
- <u>Microsoft Excel</u> 41
- _____ 43
- _____ 45

OCR Editor

- OCR Editor
- •
- •
- •
- ABBYY FineReader가
- OCR
- 4. .
- 5. .
- 5.1. 가 가
- , .
 - FineReader 가 (**(OCR)**)



.






5.2.**PDF/A**

PDF/A	

5.3.**MRC**

(MRC) . 5.4. OCR

5.5.**OCR**

.

:

5.6. ...

232

.

. : _____228

OCR

.

.

.

.

•

ABBYY® FineReader 14



.

10. PDF

•

Microsoft Word

Microsoft Word		1	Microsoft Word
1.	,	Microsoft Word	
2.		195	
3.			
4.		1	
5.			
5.1.			
•			
• 가			
•			
,	,		
•			
5.2. OCR			
5.3.			
5.4. ,			
5.5.	, 		
		OCR	
232			



.

.

9. Microsoft Word

Microsoft Word

.

OCR Editor

Microsoft Excel

xcei

.

7.

.

•

Microsoft Excel

.

.

OCR Editor

•



5.3. ...

232

OCR

43

.

:

•

OCR Editor

,



OCR Editor

PDF		PDF	,	,	,	가		,
	가	가					PDF	
			フ	ŀ			가	

- <u>PDF</u> 47
- <u>PDF</u> 58
- <u>PDF</u> 71
- _____93
- <u>PDF</u> 94
- _____98
- <u>PDF</u> 101
- <u>PDF</u> 102

,

ABBYY® FineReader 14

48

:

PDF





- 100%
- •
- 가
- / .

✓ PDF / PDF

- _____48
- <u>PDF</u> 51
- _____53
- _____54
- <u>PDF</u> 56
- <u>PDF</u> 57

PDF

•

4

.

.

가 , 가

가

:

ABBYY® FineReader 14



+4.

PDF	가	,	가

,





- (
- / . ぼ 7

.

- . <u> *PDF*</u> 52.
- :
- •_____58 フト
- _____ 72
 - F11 Esc

- 가
 - ŀ

).







- , ,
- , ,
 - •
 - •
 - •

4

268

PDF Editor

:

가



3. : **Enter**.

.

•

PDF		가	PDF
	OCR		가







ABBYY® FineReader 14

2		PDF			
Z	/	4	¥.		F3

•

55



가 가

P	🕨 🖩 🛱	
Google Drive	Bitcasa	ADrive
Dropbox	iCloud Drive	iDrive
Mega	4shared	OpenDrive
Яндекс.Диск	SugarSync Syncplicity	
Облако@mail.ru	Box.net	MediaFire
OAmazon Web Services	OneDrive	Cubby.com

4

3.

0

가

가

OCR

:

,

228

•

1. 가 2. , 3. PDF PDF ABBYY FineReader PDF 93 PDF JavaScript JavaScript . JavaScript PDF PDF JavaScript JavaScript가 PDF .

:

Некоторые элементы этого документа используют JavaScript. Включите JavaScript, если вы доверяете автору документа. Это может привести к проблемам с безопасностью.

PDF JavaScript	JavaScript	,		
•	JavaScript	가	JavaScript	
•	JavaScript	JavaScr	ipt	

ABBYY® FineReader 14

PDF

PDF		PDF
가	,	

- <u>71</u>58
- _____ 59
- ______61
- <u>PDF</u> <u>7</u>63
- <u>PDF</u> 64



,

,

4.

4

	Have you ever think that your digital camera of a scanner for document processing with OCR that your digital camera could capture text who	could ≀? Ha hich n
	JBrown 어제 17:01 ···· : Add more pictures.	× tiv
10RS	<u>회신 추가</u> multipurpose. In addition to everything else, y	jou ca

가

,

PDF 64

. 가

.

.

.

가

:

.

4

0

가

ABBYY FineReader

.

ab	
<u>ab</u>	
ab	
ab	가

	PDF	64
•		
•		
	:	

ab

:

PDF



4

가

가

•

.

.

2.

3.



4

.



.

.

PDF Editor

.



3 3.1

4

.

(5)

PDF 1.

1

2

•



Shift

가

- Shift

- 3. , 4
 - Shift • Shift
 - .
- 4.

4



- PDF
 - - 64 <u>PDF</u>

가 :

- 가

ABBYY® FineReader 14



63

PDF Editor

가 ABBYY FineReader가



:

4

- ,
- :
- : F7.
- :F/.
 - 가

가



:

- Del 7
- · 가
- : • : > ...
- : .
- 가
- :
- - ,
- •

.

•

.

가

•

가

٠

,

···· , · , · .

:

... 가

,

.

- , () • , ()
 - , . . .
- ()
- :
- 1. 2.
- 3.
- 4. 5.
- 6.
- ☑ , : . —

<u>+</u>

,

.

,

•



•

PDF Editor





- Del.
- 가
- Del .
- 2. .

PDF	PDF	가	PDF

- ______72
- ______75
- _____76]
- _____78
- _____79

.

- ______ 89
- •_____90
- _____91
- _____92

•




3. 가



,

5.

74





,



:

4

.

,

•

•

ABBYY FineReader	PDF		
	가	가	가
PDF			
1.			

2.		>	가	가
	가			

- •
- ... 가 가
 - •
- , , URL (: <u>http://www.abbyy.com</u>).
- - , , "mailto:" (: <u>mailto:office@abbyy.com</u>).



1.	
2.	가





...

79



80

•



- ...
- ・ , … () 가 Del . PDF …
- , **PDF** 가 .
 - 가 .
- PDF Editor OCR .
 - PDF .
 - . o

 - o PDF
 - o PDF
 - PDF . .
 - . : .

.

- フト . フト PDF
 - MRC (OCR) MRC

ABBYY PreciseScan
 ABBYY PreciseScan
 ABBYY PreciseScan
 .

 OCR OCR OCR .: OCR



...

84

1.

2.

🔺 📕 명령풀 설치 📕 자동 설치 ■ 자동 설치를 위한 추가 명령줄 옵션 ■ 자동 모드에서 ABBYY FineReader 제거 🕨 📕 Active Directory 사용

4

, 가

• 0

... 1.

() 2.

3.

... 1.

Î. () 2.

4

0 , 가

.

.

.

가

•

.

.Ctrl

85



86

•

1.		🔲 머리글과 바닥글 ▾	
2.	9	6 / /	· .
3. 4.	•	, , ,Bates 가	:
	•	1 	
		베이즈 번호 × 시작 번호(<u>S</u>): 1047 4	
		저장(<u>A</u>) 취소	
	•	/ Bates /	가
5.		フト, / ", / , ,	
0.			

/

.

87

...

,

...

.

.

.

.

•

...

.

- ·····
 ·····

 ·····
 ·····

 /
 ·····
- / ...
- 1.
 □ 머리글과 바닥글 ▼
 .
 ...

 2.
 /
- ·--3.
- / ...
- 1.
 □ 머리글과 바닥글 ▼
 .
 ...

 2.
 /

•



가

.

4

89

,

PI	DF	-	
:			
	0		<u>_</u>
•	_	•	> .
3	,		
•			
•			
	フト		



- ,
- 가
- 가 .

4

:

- PDF 가 . ,
- .
- 가 가
- 가 .
- 가
- 가
- PDF 가
- •
- PDF PDF 4 PDF/A PDF/UA . ,
- PDF 가 .
- 가 Fast Web View
- .
- 가

- PDF 가

- 가 :
- .

- 가



PDF Editor

1.		가	:
	이 문서에는 대화형 양식 필드가 있습니다.	☑ 강조 표시 필드	×
	ß		
	· የDF 가	,	
:	PDF 7/ 63		
2.	,		
	Best method for contacti	ng you?	
	Email		~
	Email		
	Phone		
			~
	First name		
	Ann		

:

, ,

.

ABBYY FineReader

•									
	:	>	>					,	가
	*f.df			:		*f.df	가		가
•									
	:	>	>					*f.df	
		:			가	*f.df			
•									
	:	>	>			가			
	JavaSo	cript			,PDF				
	,					JavaScript			
: >	> PDF		PDF		JavaSc	ript .			
: <u>PDF</u>	57								

93

PDF

PDF Editor

가

.

- •_____95
- _____97
- _____98

•

PDF Editor

4

: ✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
</ 가 1. 2. 4 가 , 가 Windows , 가 3. 4. 가 5. 가 6. : 7. 8. 가 . 가 가 , : () 가 ... , PDF ABBYY FineReader가 가 . 가 . : () 가 가

95

.

,

.

가











PDF 1. 2. 4

가

97

ABBYY FineReader PDF 가 .



- . 3.
- 3. . 4. : .
- 5. . 6. ,





PDF

PDF 가



.

,











10.	: .		
	가		





3.

ABBYY FineReader

,





- 3. 가 **PDF-XChange 5.0 ABBYY FineReader 14**.

.

- 4. , ()PDF
- 5. : PDF
- 6. . PDF PDF
 - : **PDF** 가.

,

가

PDF		PDF	,	7	۲ŀ	OCR
7	ŀ					

- <u>PDF</u>¹⁰³ 로 저장 • <u>PDF/A</u>¹⁰⁴
- _____106
- <u>PDF</u> 107
- <u>PDF OCR 108</u>
- <u>PDF</u>
- <u>PDF</u> 109

PDF PDF .

- PDF > . ,
- > PDF , : ☞ 다른 이름으로 지정 ♥ PDF
- PD
- PDF (, , , , 가) > **PDF**. , :
- PDF
 .

 ,PDF
 ...

 ...
 PDF
- ☑ 가 가 .

PDF/A

PDF PDF/A

PDF/A :

- •
- •
- •
- , 3D
- •
- •
- •
- (: LZW).

PDF PDF/A :

- 1. > PDF ,

 ▷ 다른 이름으로 저장 ▼
 PDF

 2.
 .
- 3. **PDF/A**
- 4. .

. : <u>PDF</u> [21]

:

.

PDF/A

🗹 PDF/A

PDF/A-1	PDF/A-2	PDF/A-3
В, А	B, A, U	B, A, U

- 2005: **PDF/A-1** PDF 1.4
 - - 가 가 ()

• **B** - -

ISO 19005-1:2005 (Cor 1: 2007, Cor 2: 2011).

:

• 2011: **PDF/A-2** PDF 1.7

0 **U** -

JPEG2000

0

o PDF/A

0

ISO 19005-2:2011.

• 2012: **PDF/A-3**

0

ISO 19005-3:2012.

•



			PDF		PDF
			•		
1.	:	>			
2.				:	

•

- -
- MRC (OCR) -MRC
- - **OCR** OCR
- 3. : .
- PDF .

PDF OCR

The PDF Editor allows you to send PDF documents to the <u>OCR Editor</u>, where you can draw recognition areas, check recognized text, train the program to recognize non-standard fonts and characters, and use other advanced features offered by ABBYY FineReader.

- To send a PDF document to the OCR Editor, click the arrow next to the CCR OCR .
- To send only some of the pages of the document to the OCR Editor, in the pane, select the pages that you want to send, right-click them and click **OCR**

When sending the document to the OCR Editor, some of these document objects will be lost:

- attachments
- bookmarks
- •
- annotations

If Once you are done working with the document in the OCR Editor, you can send it back to the

PDF Edit	or. To do t	this, click	the arro	ow next to the <table-cell-rows> 보니</table-cell-rows>	기 -	PDF
	,	:	>	> PDF		

:

>

. ...

PDF


PDF

PDF		PDF					가		
		가		,				•	
	1.		Θ				>		
	2.					:			

- - 가 .
- - . • - (,
- - .
- - , .
- - .
- -

3. : .

• OCR Editor 가		,PDF,	()
OCR Editor OCR , . C	DCR	,		
 OCR Editor	56			
OCR Editor OCR Editor				
• • • • • • • • • • • • • •	CR CR			
• PDF Editor o <u>PDF Editor</u> 47 > > C	DCR			
 Windows OCR (Windows 10 ABBYY FineReader 14 OCR 	ABBY	'Y FineReader 14 : >	> ABBYY FineRea > ABBYY FineRead	der 14 ler 14 >
. OCR Editor . , > > OCR .	o	CR		

OCR Editor







◆ ★ 해상도를 300dpi 이상으로 높입니다. 다시 스캔(R) 다시 열기(E)

, >



OCR Editor

- 7ŀ
- F5 ? / .
- F6 ? /
- F7 ? /
- F8 ? / .
- Ctrl+F5 ? / /
- , 가
- /
- / ,
- /
- ______203
- OCR . 가 가

•

- . ♪ :
- •

가

,

.

,

/

.

.

가가



PDF



ABBYY FineReader



I 195

ABBYY FineReader (OCR) .OCR , 가 OCR . 229



201 .

- OCR •
- OCR OCR •
- OCR •

OCR

- ④ 인식 •
- >

4 ::

.

- <u>OCR</u> 234
- 228 • <u>OCR</u>
- _____128
- <u>OCR</u> 124

가 , , 228, ______234, ____ <u>OCR</u>

OCR

	OCR	_	201
).			

OCR . ,

,

,

- .
 - /

OCR

		OCR	254	
	.OCR			3
	,254	,		
•	OCR	118		
• <u>ABBY</u>	Y FineReader		119	
• <u>OCR</u>	7	119		
• <u>OCR</u>		119		
• <u>OCR</u>	119			
• <u>OCR</u>	119			
• OCR		Г	119	
• OCR			120	
•		121		
•	121			
OCR				
OCR Editor	OCR	가	. OCR	
OCR				
1. >	OCR			
2.		OCR		
5	(DCR	ABBYY FineReader	
	가		OCR	
OCR	· ·	(୧୦	<u>.</u>	
. OCR Edito	r	OCR		OCR
			(>).
Windows	OCR		ABBYY FineReader 14	OCR
	.OCR		a)	

ABBYY FineReader

ABBYY FineReader

ABBYY FineReader 10, 11,12

.



Windows		ABBY	'Y FineReader		가
OCR	>		OCR	가	
	가	. :	116		

.

.

OCR

- > • •/•
- ... 가

OCR

- 1. > OCR 2. OCR 💡 ocr
- , .

OCR

• OCR >

OCR

•

가



OCR

- OCR 1. ... 가
- 2. OCR 가 OCR
- 3. OCR
 - OCR
- Ctrl+ OCR Ctrl+ .
- 4. OCR ,
- OCR Editor 가 OCR .

OCR

- 1. 1
 - 2. 가 ...
 - 3. () •

- 가

•











4





가





)

1.	OCR		(>).
2.						
3.						
	,	3 3			가	
1.	OCR		(>).
2.	,					

3. *.fbt .

OCR

•

ABBYY FineReader



OCR



가 OCR

<section-header><complex-block><complex-block></complex-block></complex-block></section-header>	231	ABBYY FineRe	, , , ader
Be in DawePetri is an expression is a contract is the industries Comparison is an expression is a contract is the industries Comparison is expression is expression is a contract is the industries in the expression is a contract is the industries in the expression is a contract is	231, 1. (2. 3.		전장 사전 처리(R) 전경 시전 처리(R) 기울기 보정(W) 스캐너나 카메라에서 가져온 이미지의 기울 스캐너나 카메라에서 가져온 이미지의 기울 이기를 수정하십시오. 선택(S): 현재 페이지 · 기울기 보정(K) · · · · ·
		Subarburdi, to improve howeddae starting and collaboration to a full-Hedgen Document in SharePoint is an easy task to in order to elevate it to a full-Hedgen Document screened energy is a full of the electronic search and retrined as an easy to manage and and the screened energy is a full of the electronic search and retrined is and the elevation in the elevation is an easy to be available for electronic test of the screened elevation in the elevation in the electronic field elevation in the electronic field elevation is an easy to be available for elevation in the elevation is the elevation in the elevatio	▶ 부등변 사각형 일그러짐 보정(Z) ♪ 회전 및 뒤집기(A) ↓ 분할(I) ↓ 자르기(Q) ● 반전(V) ■ 해상도(U) ☆ 밝기 및 명암(C) ● 레벨(L) ◆ 지우개(S) ▲ 색상 마크 제거(M)

가

가.

- 가 5. .
 - / ,
- 6.
- •
- , ,

- 가
- 가 가 .

 -)

(

- •
- •
- · ·
- •
- , , フト フト
- 가 가 255 ,가 . 가

- 가 .
- •
- •
- 가 .

.

,

가

,

• • • • • •				
	254			
,				
	,			'
1	().
Digital Camera OCR		666	► 10-	
Using Digital Camera to Capture Text Tips & Tricks for Shooting Text with Digital Came	era			

0

- _____ 128 • _____ 129
- ______
- 1
- _____130
- ______130
- _____130
- _______130
- ______131

,



.

- Ctrl+Shift
- Alt+Shift
- Ctrl+Alt
- Ctrl+Shift+Alt



- 1.
- 2.

4



,

가

0

.



131

- 1. > ...
- 2.

ABBYY FineReader

- , , , . .
- 1. / . 가
 - OCR ______ 228
 - , , (

.

가

.

128

).

- 71 144
- CJK : a.
- a. •/•
- b. .
- 2.

가

.

.

.

•

ABBYY FineReader

, 가 .

ABBYY FineReader

- •
- / 가

가

.

.

.

,

• OCR

4	128	

 OCR
 234
 "_______131
 "OCR
 153
 "



1. OCR Editor

2. >

0

.

1. .

2. >

,

- 3.
- 4.
- .
- 5. .

(*.blk)

,

.

•





	254	가		가		
		,				
ß				,	>	
	OCI	R				
1.		/				
2.			가			>

3. OCR

ABBYY FineReader 14

- Code 3 of 9
- Check Code 3 of 9
- Code 3 of 9 without asterisk

.

- Codabar
- Code 93
- Code 128
- EAN 8
- EAN 13
- IATA 2 of 5
- Interleaved 2 of 5
- Check Interleaved 2 of 5
- Matrix 2 of 5
- Postnet
- Industrial 2 of 5
- UCC-128
- UPC-A
- UPC-E

- PDF417
- Aztec Code
- Data Matrix
- QR code
- Patch code

4

114	

ABBYY FineReader Code 3 of 9, Code 93, Code 128, EAN 8, EAN 13, Postnet, UCC-128, UPC-E, PDF417, UPC-A, QR code.







.

5.							
6.							
7.	[🖉 페이	지 <mark>인</mark> 식					
			가	,			
패턴 훈련					? ×		
활성 패턴((C): (Default))					
T	ips	&	T	rick	ks fe		
, 프레임 안 나 단추를	에 문자의 일부 사용하여 프레	나 인접 문자의 임의 테두리를	일부가 포힘 이동합니다.	되면 마우스	<< >>		
프레임 안	에 있는 문자 입	력(E):	1		훈련(T)		
효과 · 	∥(D) 울임꼴(I)	☐ 위 첨자()	?) ⁽ †(B)				
		뒤	로(A)	생략(K)	닫기		
8							
0.	2~3	가		II	"(: fi, fl, f	fi)	
2	/			/			가
			가				
			가	,			
			II	-	"		
					,		
!							
•	ABBYY .	FineReader	14	OCR			
							(
)						
•		1,000				OCR	

•

.

,

•

가

ABBYY[®] FineReader 14







,

140

ABBYY[®] FineReader 14



ABBYY FineReader (,9.0, 10, 11 12) 가 1. ••• . 2. 3. 가 가 가 ... *dic). (*pmd, *.txt

,



abc	abc, Abc, ABC
Abc	abc, Abc, ABC
ABC	abc, Abc, ABC
Abc	aBc, abc, Abc, ABC

...

)



e. 가 가

- •
- •
- •
- ()
- , 7ŀ

5. OCR

OCR OCR

OCR

. , (> ...) **OCR** .



- 2.
- 3.
- 4. 가 .
- . 조 가
- . OCR
- 5. .


OCR	가			가				
		OCR				•		
					(>	
)			가					
ABBYY FineRe	eader							

.

.

(フト) ·

Image: ABBYY FineReader

. DOCX, ODT RTF

4

:

- ______146
- _____149
- •______150
- _____ 151
- ______100
- ______ 156



.

이 상자는 저신뢰도 단 포함하는 문서 이미지 일부를 표시합니다	알어를 의		
	🔯 검증		? ×
	sh (in most point-and-shoot	digital	came
오류유형	-사전에 없음	- 추천 단어(S):	
인식된 문장	point-and-shoot digital cameras, the flash is on auto mode by default).	point and sho point – and – s	ot shoot
사전의 제안	Arial \checkmark 9,5 \checkmark B $I \cup x^2 \times \Omega \checkmark$	ଟ୍ଟୁ୍	~
	생략(K) 모두 생략(A) 사전에 추가(D) 225% ~ - + 실행 취소(U)	바꾸기(R) 옵션(O)	모두 바꾸기(L) 닫기





... .







.

가

가

OCR



.

.

,

. . .



- •
- > ?
- •
- < D0



- 1. > . 2. ,
- . Ctrl+Z
- 3. . ,
- >
 - •

> . .

.

. > .

<Delete>

.



.

		•

.

.

ABBYY FineReader

· 가

1. **11 12 13**

, ,

.

2. 7ł **b** . 3. .

.

•

- 1. .
- 2. ,

152

,

OCR

OCR	Kindle	. OCR	PDF Kindle.com	, ,Kindle	,
?					
	☞ 저장 ▼ ☞ 가 5가	정확한 사본	~		
	• • 가	가	· ,	·	
	•		, 가 가		(
	•		가		HTML
2	<u>. </u>	204			

ABBYY FineReader

- Microsoft Word 2016 (16.0), 2013 (15.0), 2010 (14.0), 2007 (12.0)
- Microsoft Excel 2016 (16.0), 2013 (15.0), 2010 (14.0), 2007 (12.0)
- Microsoft PowerPoint 2016 (16.0), 2013 (15.0), 2010 (14.0), 2007 (12.0)

- Apache OpenOffice Writer 4.1
- LibreOffice Writer 5.1
- Adobe Acrobat/Reader (8.0 and later)

4



• OCR Kindle

PDF

ABBYY FineReader PDF

.



? 204 > PDF	(>).
-------------	-----	----

ABBYY[®] FineReader 14

가

ABBYY FineReader 가 OCR

- <u>DOC(X)/RTF/ODT</u> 156
- <u>PPTX</u>

.

• _______

DOC(X)/RTF/ODT

DOCX/RTF/ODT





PPTX

PPTX





тхт











E-book



HTML

•••

HTML





ABBYY FineReader

- ZIP
- JPEG . , 가 ().
- Packbits
 LZW

OCR P	DF			
ABBYY FineReader	OCR 가	OCR Editor PDF	<u>PDF</u>	46ា ABBYY FineReader
OCR PDF				
•	,	왔 <mark>☞</mark> 보내기 ▼		PDF
•		. >	> PDF	
PDF		OCR Editor	r	. ,OCR
Editor		🗋 인스	4 ▼	
OCR .			OCR	가

•

OCR Editor

- •
- •
- •
- •

OCR

ABBYY FineReader		HTML	 225
	:		
1.		>	
2.	가		
•			
•		:	3
3.			가 .
		:	
1.		>	
2.	가		
•			

•

163

OCR

Kindle

ABBYY FineReader Kindle.com Kindle Kindle

Sindle.com Kindle

.

.

1. ______112

- 2.
 - Kindle

 - :

 - •
- 3. .
- 가

Kindle

ABBYY FineReader

PDF ,

MS PDF

- ______165
- <u>MS</u> 168

.

...

.

Amazon

Kindle.com

.

,

.

.

.

.



2. ()

:

- PDF ... PDF .
- MS ,MS MS PDF ABBYY FineReader ,

•

.

- **PDF** ... PDF
- ...ABBYY
- **PDF** ... PDF
- ...
- :
- 1.
- 2. ()
 - ABBYY FineReader
 - o 가 PDF
 - **PDF**
 - Microsoft Word
 - Microsoft Excel
 - 0
 - OCR OCR
 - **PDF** ... PDF
 - ...ABBYY
- ☑ 가

.

가 ABBYY FineReader ...

.

:

	가		ABBYY	FineReader		,		ABBYY
FineReader								
ABBYY FineReader				:				
1.		>	>	(10		+ >	>
2)			Reader	1		
۷.				ADDITIMEN	leader	/		•
3.								

MS

.

ABBYY FineReader MS

MS PDF :

- 1. ABBYY FineReader PDF PDF
- 2. 가 . , > SharePoint® > . ☑ 가

:

.

- . 3. PDF . ☑ PDF PDF
 - 46
- 4. 7 **SharePoint**® > ... ⊻
- 5. .
- 6. : .

Microsoft Windows Server® 2012/2008
Desktop Experience

- 4. **Experience** . 5. 7¹.
- 5. 가. 6. 가 >
- 7. , .

<u>PDF</u>_____, > フト

- .
- ABBYY FineReader 가.
 - Desktop



(

ABBYY FineReader

ABBYY FineReader 14. :

http://www.ABBYY.com/FineReader)



자동화 작업	? ×
📑 새로 만들기 🧪 수정 🔓 복사 🖿 가져요	2기 💾 내보내기 ╞ 삭제 🗐 이름 바꾸기
작업 Image to Amazon Kindle Images to Microsof Word Convert Foto to Microsoft Word Scan to Microsoft Excel Scan to Microsoft Word Scan to PDF Scan and Save Image	단계 1: 새 OCR 프로젝트 만들기 2: 이미지 또는 PDF 열기 3: 분석 4: OCR 5: 문서를 Amazon Kindle로 보내기
<u>작업 추가 정보(M)</u>	실행(R) 닫기(O)



170

- OCR
- OCR
- OCR
- OCR
- 3. :
 - PDF
 - ().
 - - **:** a.
 - OCR .
 - b. OCR
 - c. OCR 가

,

- 4. 가
 - ABBYY FineReader
 - - ABBYY FineReader
 - •
- .
- - OCR .
 - 가
 OCR
 가
 가

•

- 6. 가 **OCR**
 - OCR
 - :

(

).

- OCR
- 가 , 가
- :
 - · ·
 - _____254
 - 가 OCR
 - .

171

- , , , ***** .
- .
- , , .
- , , ,
- ✓ , (TIFF, PDF, JB2, JBIG2, DCX).
- , , .
- OCR .
- 8. , .
- Z .
- 가
 가

ABBYY Hot Folder

(ABBYY FineReader 14ABBYY FineReader 14.http://www.ABBYY.com/FineReader)

ABBYY FineReader	ABBYY Hot Folder 가	ABBYY
FineReader가	가	
ABBYY FineReader가		

		3	,OCR	
		ABBYY FineReader가		(
)			
•				

0

ABBYY Hot Folder

,

ABBYY Hot Folder	: ABBYY FineReader 14.
ABBYY FineReader 14	ABBYY Hot Folder
,	
ABBYY Hot Folder :	

1. () : . 2 ·

۷.		•	•					
	🗹 Windows	10	,	:	+	>	>	

- 3. ABBYY FineReader 14 : .
 - 4. **ABBYY Hot Folder** .
 - 5. .

ABBYY Hot Folder

ABBYY Hot Folder:

 ∴ > ABBYY FineReader 14 > ABBYY FineReader 14 > ABBYY , Windows 10
 ∴ ABBYY FineReader 14
 ∴ ,
 ∴ Windows

ABBYY Hot Folder

.

🖸 ABBYY Hot Folder – 🗆 🗙							
🖽 새로 만들기 🗄 🗸 🜔 지금 시작 💫 예약 시작 💿 중지 🔿 수정 🔓 📋 🛅 🔳 🔯 🖽 로그							
이름 👻	경로	상태	다음 시작 시간	로그			
C My Task(3)	D:\HF	♂ 스케줄링됨	01.01.2018, 21:00				
C My Task(2)	D:\HF	◎ 중지됨					
C My Task	D:\HF	◇ 완료됨		✓ 1 파일이 성공적으로 완료됨			

.

.

, ,

. ,

ABBYY Hot Folder

,

	가 :
e	가 .
G	
©	
\otimes	가 .
⊘	가 .
🔺 ()	가 .
	,

•

•

- **1.** : <u>**!!**</u> >
- 2.
- **3.** : .

1. : 보 > 가 ...

:

- 2. : .
- :
- 1. ABBYY Hot Folder : .
- 2. . 3. :
 - ()
 - (, ,
- 4. 가 OCR
 - - FTP FTP FTP 가 . 가
 - Outlook
 - OCR FineReade
 CCR
- 5. ,
 - , Z OCR
 - ,
 - •
- 6. ,
 - a.

- . .
 -)
- - , , .
- : <u>OCR</u> 228
 - OCR .
- .
- , 가OCR
- .
- . ,



Z	: %Userprofile%\AppData\Local\ABBYY\FineReader\14.00\HotFolder.
•	



. 1. .

2. : (ABBYY Hot Folder).

3. : .



• ()



ABBYY

.

ABBYY 가가

.

ABBYY

•				MS	PDF
	,	ODT	ABBYY FineReader 14		
		가 가			

.

- .
- , 가 • ,

- 가 PDF
- 178 • <u>ABBYY</u>
- _____179
- ______181
- 182
- 184 •

ABBYY

ABBYY



:

1. ABBYY



• : > . .














(

181

)

ABBYY

- :
 - .
 - : > .

184

- :
- •
- :

• PDF

- PDF ABBYY 3가 PDF : \circ PDF
- 가 PDF ABBYY .

\circ OCR PDF

ABBYY 가 . 가 , . .

\circ OCR

OCR ,

4

PDF PDF . 가 PDF 가 PDF . 가 OCR PDF OCR

.

- .

183

.

.

.

•

🔯 Document#1.pdf / Document#2.docx	- ABBYY 문서 비교	– 🗆 X	
파일(F) 편집(E) 보기(W) 비교하기	(C) 도움말(H)	📩 이 제품 평가	
C:\User\Document#1.pdf 🔻 🖿	C:\Us\Document#2.docx 🔻 🖿	비교하기 차이점 (17) 🗕	- 차미 탭
□ 4/4 - ↔ + =	₿ 3/3 - ↔ + =	↓↑ 💼 🖽 🔚	
^ 머리글	머리글 ^	▼ 본문 (9)	
The Graphics L. The spinster of the spin control of the spin contr	14. The applies of tables and in the Approximation to whether applies of the constant is any weight of the Applies of tables and the Applies of tables and the Applies of tables and tab	← 텍스트 삭제됨 페이지 4 <> 3 ▲ Signature:	차미점 목록
Konstativity for dia ana properti registrative or manufacture dative gradual provide the independent of the control and the control and the control and the control of the control and the control of the control o	 Tenerative of a few synthesis flat or details that was paths. The entry details of the Couper per physical process site of the couper physical process and the couper physical phys	텍스트 편집됨 페이지 4 <> 3 ← 10.LAW → LAW	
EX. VEX.NUCCECONTENCTOR EX. VEX.NUCCESSTEPS.TOTAL TO A SUBJECT AND A SUBJ	Source of the source of the provided frame of an integration of the source of the	→ 텍스트 추가됨 페이지 4 <> 3 The Company	
h uhan uhan Tarpita kask kas kiya asuka Takuyaanat kis asuka Takuyaanat kis asuka taku utaki Ta Daniyaa Ta Daniyaa Tarpitan Tarpitan Tarpitan	b delayer offer of public heric heric day consist DA Aprenet II her adjust on the day b delayer offer of the day The Conjunt Ry Entrue Chalfernia Ry Entrue Strom Ry Entrue Chalfernia Ry Ry Entrue Chalfernia Ry Ry Entrue Chalfernia Ry Ry Entrue Chalfernia Ry Ry Entry Ry	→ 텍스트 추가됨 페이지 4 <> 3 Title: Chief Technical Officer Signature:	
		~	
		▶ 머리글 및 바닥글 (1)	
× >	< > ×	▶ 번호 매기기 (7)	

ABBYY 가 :









, 4

ABBYY

4

- 3 •

 - •
- , 틀 가
- **i** •
- ,Ctrl 4
- 4

가

.

- (:)
 - 가

.

- . 가

ABBYY

- 가 :
- 1. PDF
 - •
 - •
- 2. MS
 - : > ...
 - . 8
- : > 가 PDF
 - ---
 - .

ABBYY

ABBYY

ABBYY Screenshot Reader :

- •
- 가

1 1

• ABBYY OCR

ABBYY Screenshot Reader

🗹 ABBYY ABBYY ABBYY FineReader . ABBYY FineReader 253. 14 ABBYY 187 • _____ 187 • 190 ABBYY ABBYY : ABBYY FineReader 14. 53 ABBYY ABBYY 🗹 ABBYY 가 : • ABBYY FineReader 14 Screenshot Reader PDF Screenshot Reader . **Screenshot Reader** • OCR **ABBYY FineReader 14 > ABBYY** • MS Windows 10 , > ABBYY FineReader 14 > ABBYY

ABBYY® FineReader 14

ABBYY







- (:,) ,
- 5
- 2.
- 3. :
 - (
 - Microsoft Word [1] (Microsoft Excel [2]

.

- (•).
- ABBYY FineReader 14 (OCR OCR [3]).
- 188

,

가

1).

).



- 1. 가 . 가 .
- 2. 가 가 ... · 가 :
 - ABBYY
 - http://www.abbyy.com.

- 가 .OCR : a. > .
- ✓ Windows 10 ,
 > .
 c. ABBYY FineReader 14
 - . d. .
- е.
- 3. : OCR FineReader 14 . OCR OCR 가 가 .OCR 가 OCR 가 , OCR . 가 가 .

• <u>PDF</u> 192

• ______195

- ______198
- ______201
- ______204
- <u>OCR</u> 218
- ______225
- <u>OCR</u> 228
- _____231
- <u>OCR</u> 234
- •_____237
- _____ 241
- _____ / ____ 242

- ______245
- _____247

ABBYY® FineReader 14

PDF

PDF		. PDF	가	
,	ABBYY FineRead	der		
가 .	PDF 가			
PDF				
PDF				
	PDF		PDF	
가가 가				
ABBYY FineReader 14	<u>OCR</u> 53 가			
72 ABBYY FineReader 14		78 : <u>PDF</u>	204	
가 PDF				
가 PDF				
ABBYY FineReader PDF		가	가	
. : <u>OCR</u> 234	가		PDF	
	PDF		ABBYY FineReader	가
PDF				
ABBYY FineReader	가 PDF		:	
1. <u>PDF</u> 78		가		
2. PDF	가 PDF		. PDF	
			가 PDF	
: <u>PDF</u> 204.				



PDF





ABBYY FineReader













brightness				
brightness	•			
가	•			(
		가).	
bighteess	•			
가 .	•			(
		가).	

Scanning resolution

•

300 dpi		2	54.		
2			가		
	OCR	(600 dpi) OCR (150 dpi) OCR	가		가
•		가 250 dpi	: 600 dpi		
		가	204,	96 dpi	





ABBYY FineReader 14 OCR

.



.

..











4

가

가

.

•





가

- •
- ISO
- •



:

- 가
 - 가
 - 50 60 cm

가

- (). 20 . .
- 가 가 .
- · · ·
- 가 : 가,
- 가 . : . 가
- 가 OCR : <u>OCR 가</u> • 가 : 가
- 가 . :
- 가 .



• PDF				
	PDF		가	
		PDF		가
가가				



OCR . : <u>OCR</u> [228]

OCR

:

- <u>PDF</u> 234
- •
- _____229
- (MS)
- •
- ()
- ()

 Image: OCR
 234
 138

. . . _____204

ABBYY <u>FineReader 14</u>
241

:

- FineReader가 OCR
- ABBYY FineReader 14
- ABBYY FineReader 14 ABBYY
- ABBYY FineReader 14
- PDF <u>JavaScript</u> 57
- ABBYY FineReader 14가 PDF URL
 - *
- :
- :
- 가
- •
- Z
- •
- .
- •
- •

Z :	:	146,		142	
131					
*	OCR	가			

ABBYY FineReader

- <u>PDF</u> 204
- <u>DOC(X)/RTF/ODT</u> 209
- <u>XLS(X)</u> 211
- <u>PPTX</u> 212
- <u>CSV</u> 212
- <u>TXT</u> 213
- <u>HTML</u> 214
- <u>EPUB/FB2</u> 215

.

• <u>DjVu</u> 216

PDF

•

•

.

.

.

- 가 . : •
 - .
 - •
 - .
- PDF 300 dpi

)

.

•

PDF/A

PDF/A

PDF/UA (OCR

PDF / UA

PDF/A

가

.



2. . 가 .

•

o 가 가

•

•

• 128-bit AES AES

• 256-bit AES AES

•

.

PDF

- :
- , ,
- , ,
- . •
- . •
- .
- 가 PDF .

MRC	(OCR)
	MRC

- (OCR) MRC 4 가
 - .

.

가 PDF

.

...

ABBYY PreciseScan

•

가 PDF

ABBYY PreciseScan

,



•							
	PDF	-1					PDF
		가	•			가	

•		
	가	· 가 가

.

PDF

4

PDF	PDF	가			
	PDF		,	,	

•	PDF	PDF	PDF



: Times New Roman,	Arial, Co	ourier N	lew.

Windows

	Windows	
PDF		가
		PDF .

•

가 PDF _____ 91

,

DOC(X)/RTF/ODT

. .

1. • . , .

2. 가 가 . . 3.

• 가 가 4

.

4. .~ , .

,

가

RTF, DOC, DOCX, ODT

가 .

,

· · · ·

- .
- . .
- () .
- ☑ 가 ·
- •
- , ,

≤ , , , , OCR 가 …) ,

OCR Editor of ABBYY FineReader

Microsoft Word , , Microsoft Word . (

. > ...).



















, ... ()

.

PPTX

·

.

.

- •
- •
- · ,
- •

. . .

....

CSV

.

•

.

• (#12)

CSV

ABBYY FineReader가_____

ТХТ



...

254

...

• Separates the paragraphs with blank lines.

ABBYY FineReader가 _____

()

()

HTML

.

- •
- ,

.

- · · ·
- ♂ 가 가 .
- .
 - 가 .

.

.

,

•

- ,
- .
- 가 .
- •
- •

214

ABBYY FineReader가 ______

HTML

- .
- ・ ABBYY FineReader 14가 HTML
- **1** ABBYY FineReader 147
- 2
- ABBYY FineReader 14가

가

...

)

HTML

HTML

()

EPUB/FB2



,

EPUB

, (EPUB

4

EPUB

•

EPUB .

, ... () .

DjVu

•

. ,

· , 가 DjVu .

. 가 , ·

.

가 . . , ····
. (,

.

DjVu

ABBYY FineReader

.

). .

.

, ...

()

OCR

ABBYY FineReader 14 195 OCR :

- _____218
- _____224
- _____224

0 가

•

- (),) ** (

- * **
- () •

•

- (, ,)*

- * **

- 가 *, **

- •
- •
- •
- •
- フト *, **
- •
- * **
- •
- 가가
- •
- •
- *
- •
- •
- •
- •
- *, **
- •
- •
- •
- *
- •
- •
- *, **
- •

- •
- * **
- * **
- •
- •
- •
- •
- •
- *, **
- (Kasub)
- ()
- •
- •
- ,
- •
- , ()
- •
- •
- •
- •
- •
- •
- •
- •
- *

- * **
- •
- * **
- •
- •
- •
- •
- 가
- ()
- •
- •
- •
- .
- •
- •
- •
- ()
- •
- •
- •
- ()
- **, ()*, **
- •
- •
- **, ()*, **
- 가

- ()**, ()*, **
- •
- •
- •
- •
- *, **
- **, ()*, **
- •
- •
- •
- * **
- •
- * **
- ()
- •
- •
- •
- •
- •
- •
- (), ()
- * **
- *, **
- •
- •

- •
- _
- -
- •
- •
- •
- *
- * **
- •
- ・ 가
- •
- •
- *, **
- (Turkmen) (), (Turkmen) ()
- •
- (), ()
- (), ()
- * **
- •
- •
- * **
- * **
- •
- •
- •
- •
- •

- •
- * **
- •
- •
- •
- •
- *, **
- •
- •
- * **
- •
- •
- •

• (), ()

- * **
- •
- •
- •

- •
- •

- C/C++

- •
- _
- •
- •
- •
- •
- •

4		
		245

*ABBYY FineReader가

** ABBYY FineReader 35
<u>ABBYY</u> 177

ABBYY FineReader 14

		OCR	PDF / ABBYY	
PDF	*.pdf	+	+	+
가				
Microsoft Word	*.doc, *.docx	-	+	+
Microsoft Excel 97- 2003	*.xls, *.xlsx	-	+	+
Microsoft PowerPoint	*.pptx	-	+	+
	*.ppt	-	+	-
Microsoft Visio	*.vsd, *.vsdx	-	+ / -	-

,

.

. :

HTML	*.htm, *.html	-	+	+
	*.rtf	-	+	+
	*.txt	-	+	+
Microsoft Office Excel CSV	*.CSV	-	-	+
OpenDocument	*.odt	-	+	+
	*.ods	-	+	-
	*.odp	-	+	-
FB2	*.fb2	-	-	+
EPUB	*.epub	-	_	+
XPS (Microsoft.NET Framework 4)	*.xps	+	+	-
DjVu	*.djvu, *.djv	+	+	+
JPEG	*.jpg, *.jpeg	+	+	+
JPEG 2000	*.jp2, *.j2k, *.jpf, *.jpx, *.jpc	+	+	+
PNG	*.png	+	+	+
TIFF	*.tiff, *.tif	+	+	+
вмр	*.bmp, *.dib, *.rle	+	+	+
GIF	*.gif	+	+	-
JBIG2	*.jbig2, *.jb2	+	+	+
РСХ	*.dcx, *.pcx	+	+	+

.

4

가

💡 ABBYY

• PDF (*.pdf) PDF PDF 7

.

• Microsoft Word (*.docx)

2	PDF/A	PDF/UA	가

.

.

•

,

OCR

OCR

.

- <u>OCR</u> 228
- ______229
- _____229
- _____230

OCR

 ABBYY FineReader
 (: 2

).
 , OCR

 OCR
 , ______

 •
 OCR

ABBYY FineReader

.

- 1.
 OCR
 .

 2.
 ...
 .
- 3.4. OK() .
- OCR 가

______143

,



software	가 (:"w" t").
software		가

" '(), 7|





254





OCR	가	가 OCR	OCR	가	· , , ,	가 ,
· , ·		<u>00</u>	OCR <u>R</u> 234		OCR	
	가		195			
?					,	

.

230



PDF

0

:

, <u>OCR</u> 228

☑ 가 > > ...

OCR 가

• () OCR (OCR) . OCR

• ()

,OCR

.

OCR . . .

가

161

ABBYY FineReader

- :
- •
- 가 .
- OCR 가
- OCR
- , :
- , : •
- •
- - .
- * フト
- *
- ISO *
- * ア・ア
- *



OCR

		OCR	
	:		
• <u>PDF</u>	234		
• OCR		235	

- ______236
- _____236
- _____236
- _____236

OCR OCR (> ...).

- 응ABBYY FineReader OCR 가
- OCR . 가 OCR (> ...).
- ☑ 가 OCR , OCR .

PDF

PDF . PDF 가 . PDF , 가 PDF, PDF **OCR** PDF . PDF 기 .

.

.

- 3 :
 - OCR PDF
 - 가
 - . 가 OCR
 - OCR
 - OCR

.

.

• PDF

가	PDF		OCR

OCR

ABBYY FineReader 14 가 :

- ABBYY FineReader
 - 가 (
 -) . .

,

,

:

1.

2.

...

•

			. : (DCR		229
	가		, ,			
	가					
•	가	(:)	:		
•	가			(100	N	
	ABBYY FineReader		.OCR	(100		
ß				. :	[118]	

•

•

•

236



, , , , ,

.

가

.

가

OCR	
	Arial™ Unicode™ MS
	Aharoni
	David
	Levenim mt
	Miriam
	Narkisim
	Rod

()	Arial™ Unicode™ MS
()	SimSun :
,	Example SimSun (Founder Extended),
()	SimSun-18030, NSimSun.
	Simhei
	YouYuan
	PMingLiU
	MingLiU
	Ming(for-ISO10646)
	STSong





- .
 - 1.
 - 2.



.

•

.

.

.

:

, ,

.

.

.

1. : ...

- 2.
- 3. : .
- 4. ABBYY FineReader

ABBYY FineReader 14 24 GUI

- •
- 가
- 가
- .
- •
- •
- •
- •
- •
- •
- •
- •
- •
- •
- ()
- •
- •
- •
- •

- •
- -
- •
- •
- •
- •
- , /

Bates

.

Bates

•

<d></d>		07.02.2013
<date></date>		7 February 2013
<t12></t12>	12	9:22 PM
<t24></t24>	24	21:22
<time></time>	HH:MM:SS	21:22:51

. ,<d=RUS/>, <date=USA/>, <time=ENG/>. 가 <**d=USA/** 2/7/2013

>

<d=ENG/ 07/02/201

> 3

<d=RUS/ 07.02.2013

>

<d=DEU/ 07.02.2013

>

<d=FRA/ 07/02/201

> 3

```
<d=ITA/> 07/02/201
3
<d=ESP/> 07/02/201
3
<d=NLD/ 7-2-2013
<d=PO/> 07.02.2013
<d=HUN/ 2013.02.07
>
<d=CZ/> 07.02.2013
<d=SL/> 7.2.2013
```

가

<date=usa %a=""></date=usa>	Friday
<date=deu %b,="" %y=""></date=deu>	February, 2013
<time %hh="" %mm=""></time>	09h 22m

<date/> <time/>

<date></date>						
%у	01~ 99	(;	가	0)	01
%#y	1~ 99	(7	ł)	1
%Y	0001~ 9999		(가	0)	2013
%# Y	1~ 9999	(가)	2013
%b						Feb

•

%В					February
%m	01~ 12	(가	0)	02
%# m	1~ 12	(가)	2
%d	01~ 31	(가	0)	07
%# d	1~ 31	(가)	7
%a					Tu
% A					
<time></time>					
%Н	24	(00 ~ 23,	가	0)	07
%#H	24	(00 ~ 23,	가)	7
%I	12	(01 ~ 12,	가	0)	05
%#I	12	(1 ~ 12,	가)	5
%р	12	,	*		АМ
% M	00 ~ 59	(가	0)	04
%# M	00 ~ 59	(가)	4
%S	00 ~ 59	(가	0)	04
%# S	00 ~ 59	(가)	4
가					
%%					



*			가
	,	,	~1

OCR	
	Arial Unicode MS(*)
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*)
(, ,)*	Arial Unicode MS(*)
*	Arial Unicode MS(*) 247, Palatino Linotype
	Arial Unicode MS(*)
가가	Arial Unicode MS(*)
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS, (*) [247], Lucida Sans Unicode
	Arial Unicode MS(*) 247, Aharoni, David, Levenim mt, Miriam, Narkisim, Rod
	Arial Unicode MS(*)
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*) 247, Lucida Sans Unicode

.

(), ()	Arial Unicode MS(*) 247, SimSun
	Example SimSun (), SimSun-18030, NSimSun.
	Simhei, YouYuan, PMingLiU, MingLiU, Ming(ISO10646), STSong
, ()	Arial Unicode MS(*) 247, SimSun
	Example SimSun (), SimSun-18030, NSimSun.
	Simhei, YouYuan, PMingLiU, MingLiU, Ming(ISO10646), STSong
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*)
	Arial Unicode MS(*)
()	Arial Unicode MS(*) 247, Palatino Linotype
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*) 247, Palatino Linotype
	Arial Unicode MS(*)
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*)
	Arial Unicode MS(*) 247, Lucida Sans Unicode
	Arial Unicode MS(*) 247

Arial Unicode MS(<u>*</u>)[247], SimS	un
Example SimSun (), SimSun-18030, NSimSun.
Simhei, YouYuan, PMingLiU, I STSong	/lingLiU, Ming(ISO10646),

/

•

(*) Microsoft Office 2000

142

	•	c.t ˈˈcat", "cot" .
	[]	 [b-d]ell bell", "cell", "dell" .
		 [ty]ell 'tell" 'yell" .
	[^]	
		[^n-s]ell bell", "cell" hell", "oell", "pell", "qell", "rell" sell" .
	I	c(a u)t 'čat" 'čut" .
0	*	10* 1, 10, 100, 1000 .
	+	10+ 10, 100, 1000 1 .
	[0-9а-zА-Zа- яА-Я]	모든 단일 문자를 여용합니다 [0-9а-zA-Za-яА-Я] — 모든 단어를 허용합니다 [0-9а-zA-Za-яА-Я]+ —
	[A-Z]	
	[a-z]	
	[A-Я]	
	[а-я]	

:

[0-9]	
@	

	1.	txx, txx	ux, u	хх		\[t-v\]x+	가 [t-v]x, [t-v]xx,	[t-v]:	xxx	,[t-v]x+	tx,
	2.	ababab	a b+ c a	(a, c b, bb,	a , bbb	b가	. <u>(</u> a b))+ c	c 가0	abbbaaab	bb,)
가	(,	,)			7	ł		
		:		(1, 2)		(02, 12) :((0)[1-9])	([1 2]	[0-9]) (3	0(00 30) (31).	0)
					: ((0)[1-9]) (10)	(11) (12).				

: ([19][0-9][0-9]]([0-9][0-9])|([20][0-9][0-9]]([0-9][0-9]).

 $((|0)[1-9])|([1|2][0-9])|(30)|(31) \ ((|0)[1-9])|(10)|(11)|(12) \ ((19)[0-9][0-9])|([0-9][0-9])|([20][0-9][0-9])|([0-9][0-9])|([0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20][0-9][0-9])|([20[[0-9][0-9][0-9])|([20[[0-9][0-9][0-9])|([20[[0-9][0-9][0-9])|([20[[0-9][0-9][0-9]$

:

 $[a-zA-Z0-9_{-}]+@[a-z0-9_{-}]+$

:

.

ABBYY

ABBYY ABBYY

ABBYY FineReader

,

.

,

.

- ______250
- ABBYY FineReader
- ABBYY FineReader
- ABBYY FineReader
- _____254

- 1. :
 - Microsoft[®] Windows[®] 10 / 8.1 / 8 / 7

2. SSE2	2		1 GHz	32	(x86)	64	(x64)	
3. 1GB	(4GB)						
				가		512MB		가
4.	1.2	GB				1.20	GΒ	가
5.	1024x768							
6.								
7.								

ABBYY FineReader 14 :

- Citrix XenApp 7.9 (

ABBYY FineReader 14 TWAIN WIA

 .

)

ABBYY FineReader

- 1. Setup.exe .
- 2.

ABBYY FineReader 14 LAN

ABBYY FineReader			*.	ABBYY
FineReader				가
	가 가			

.

· , · . 4가 가 :

- Active Directory
- Microsoft (SCCM)
- •
- •

ABBYY FineReader

가

,

가

ABBYY FineReader

*

ABBYY FineReader 14:



FineReader (<u>http://www.ABBYY.com/FineReader/</u>[251)



- 1. 2. <u>ID</u>²⁵⁴
- 4. 5. :
- 6. : .

ABBYY FineReader 14가

- - 1.
 - 2.
 - 3.
 - 4.

ABBYY FineReader 14가

- - 1. ABBYY FineReader 14
 - (:

).


:

ABBYY FineReader 14가

ABBYY FineReader

. , , ABBYY FineReader

ABBYY FineReader

ABBYY FineReader 14

. .

ABBYY FineReader

- > ...
-
- ABBYY
- 1. ______*
- 2. <u>ABBYY</u> [187],

.

*

3. (:

:).

(https://www.abbyy.com/).

: ABBYY (<u>https://www.abbyy.com/en-us/support/</u>).

PDF

PDF



ABBYY FineReader	
ADDITITIEReader	

.

ADRT® ()		가			
,	,	,				•	
dpi ()						
OCR ()	가	, , ,				
OCR				(>		
)				.OCR			
OCR							

Omnifont			
PDF ()	PDF	

.

,

,



ABBYY FineReader

.

ABBYY FineReader 14 .







.



.

•









.

(Unicode, Inc.)

16

.

가

.OCR

.

ABBYY FineReader가

,

,

.

	Ì
ID ABBYY FineReader	

ID						
•	ID	가				ID

		(: MS-DOS	Microsoft Disk Operating System, UN	United
Nations,).			

	OCR			가
		가		
			≂	<u>7</u> 254

ABBYY® FineReader 14

•

PDF	PDF	,			PDF	가	PC	DF .	
						. ,	ABBYY Fi	neReader	
,		, ,	, ,				. ,	,	,
,				ŋ					
					ABBYY	FineRead	der		

 (: fi, fl, ffi).
 ABBYY

 FineReader
 .
 OCR 기 .

(dpi)			300 dpi	10 pt	
,400 ~ 600 dpi	(9 pt)			





.

138



ABBYY FineReader 가

- _____261
- <u>OCR</u> 262
- <u>PDF</u> 267
- <u>ABBYY</u> 270
- _____261 ____261
- _____261 ____261
- _____262 ____262
- _____ 262 ____262

	가
PDF	Ctrl+N
PDF	Ctrl+O
OCR	Ctrl+R
OCR	Ctrl+S
OCR	Ctrl+Shift+N
OCR	Ctrl+Shift+O
	Ctrl+Q

가
Alt + 1
Alt + ↓

Del
Ctrl+A
Ctrl+F

가
 Ctrl+>

가
F1

OCR

- _____262 ____262
- _____263 ____263
- _____264 ____264
- _____264 ____264
- _____265 ____265
- _____265 ____265
- ______266 _____266
- ______266

가
 Ctrl+N
 Ctrl+O
 Ctrl+K

	 Ctrl+Alt+S
	Ctrl+W
OCR	Ctrl+Shift+N
OCR	 Ctrl+Shift+O
OCR	 Ctrl+Shift+S
	Ctrl+M
	Ctrl+Alt+M
	Ctrl+P
	Ctrl+Alt+P
	Ctrl+Q

가
Ctrl+Z
Ctrl+Y
Ctrl+X
Ctrl+C
Ctrl+Shift+C
Ctrl+V
Del
Ctrl+A
Ctrl+Shift+A
 Ctrl+Backspace
Ctrl+Del
Ctrl+Shift+Del
Ctrl+Shift+>

Ctrl+Shift+<
 Ctrl+I
 Ctrl+F
F3
 Ctrl+H

	가
	F5
/	Ctrl+F5
	F6
	F7
	F8
	Ctrl+Tab
	Ctrl+Shift+Tab
	Ctrl++
	Ctrl+-
	Ctrl+0
	Ctrl+G
	Ctrl+↓
	Ctrl+↑
	Ctrl+Home
	Ctrl+End
	Ctrl+F4

|--|

Ctrl+Shift+R
Ctrl+R
Ctrl+Shift+E
Ctrl+E
 Ctrl+F7
Alt + ↓
Alt + ↑
Ctrl+T

가
Ctrl+Shift+B
Ctrl+2
Ctrl+3
Ctrl+4
Ctrl+6
Ctrl+5
Ctrl+1

가
 Ctrl+Alt+D
Ctrl+Shift+H
Ctrl+Shift+F
 Ctrl+>

가
F1

	가
	Ctrl+B
	Ctrl+I
	Ctrl+U
	Alt+1
	Alt+2
	Alt+3
/	Alt+4

OCR			-	110		
OCR		가	:			
	1.		가		>	>
	••••					
	2.	가				
	3.					
	4.		가			
	5.	: .		가	가	
	6.	:				
	7.		3	()	
	().				

PDF



• _____ 270 ____270

	가
	Ctrl+N
	Ctrl+O
	Ctrl+S
PDF	Ctrl+Shift+S
	Ctrl+W
	Ctrl+Shift+R
	Ctrl+P
	Ctrl+Q

<u>7</u><u>261</u>

가
Ctrl+Z
Ctrl+Y
Ctrl+X
Ctrl+C
Ctrl+C

	Ctrl+Shift+C
	Ctrl+Alt+C
	Ctrl+V
	Del
	Ctrl+A
가	Ctrl+Shift+O
가	Ctrl+Shift+A
	Ctrl+Shift+>
	Ctrl+Shift+<
	Ctrl+Backspace
가	Ctrl+D
	Ctrl+F
	F3

<u>7</u><u>261</u>

	가
	F5
	F9
	F8
PDF	F6
	F7
	Ctrl++
	Ctrl+-
	Ctrl+0
	Ctrl+8

Ctrl+9
 Ctrl+G
Ctrl+↓
Ctrl+↑
Home
End
Alt+←
Alt+→
Ctrl+1
Ctrl+2
Ctrl+3
Ctrl+4
F11

<u>7</u><u>261</u>

	가
	Ctrl+E
	Ctrl + T
가	Ctrl+M
	Ctrl+H
	Ctrl+U
	Ctrl+K
	Ctrl+J
	F9
	Ctrl+R

 Ctrl+>		
	~*** 가	261

가
F1

ABBYY

- _____270 ____270
- _____270 ____270
- _____271 ____271
- _____271 ____271
- _____ 271 ____271

		가
		Ctrl+N
		Ctrl+O
		Ctrl+W
가	PDF	 Ctrl+S
		Ctrl+Q

<u>***</u> <u>7</u> 261

가
Ctrl+Z
Ctrl+Y

Ctrl+A

<u>***</u> <u>7</u> ₂₆₁

가
Ctrl++
Ctrl+-
Ctrl+0
Ctrl+↓
Ctrl+↑

가
Ctrl+R
Ctrl+→
Ctrl+←
Del

F1

***** 7** 261

ABBYY FineReader





http://onlinesupport.abbyy.com.







- Υ. ·
- .
- •

ABBYY

ABBYY FineReader

> >

.

:

).

가

).

· 7ŀ , > .

4	_		
·		ABBYY	>
•••			

.

© 2017 ABBYY Production LLC. ABBYY, ABBYY FineReader, FineReader, ADRT Adaptive Document Recognition Technology ABBYY Software Ltd.

© 2000-2012 Datalogics, Inc. Datalogics[®], DL Logo[®], PDF2IMG[™] DLE™ Datalogics, Inc. © 1984-2012 Adobe Systems Incorporated 가 All rights reserved. Adobe®, Acrobat®, Adobe Logo®, the Adobe PDF logo®, Adobe® PDF Library™, 가 Powered by Adobe PDF Library logo, Reader® / Adobe Systems Incorporated © 2008 Celartem, Inc.가 .All rights reserved.

© 2011 Caminova, Inc.7} .All rights reserved. © 2013 Cuminas, Inc.7} .All rights reserved. DjVu 6,058,214 . AT&T Labs Technology . © 2002-2008 Intel Corporation. Intel / 7} Intel Corporation

Copyright © 1991-2016 Unicode, Inc. All rights reserved.

http://www.unicode.org/copyright.html

ABBYY® FineReader 14



JasPer 2.0:

Copyright © 2001-2006 Michael David Adams

Copyright © 1999-2000 Image Power, Inc.

Copyright © 1999-2000 The University of British Columbia

All rights reserved.

: opyright $\ensuremath{\mathbb{C}}$ 2009 The FreeType Project (www.freetype.org). All rights reserved.

Independent JPEG Group

Tracker Software Products Ltd PDF-XChange Standard © 2001-2013.

© Microsoft Corporation. All rights reserved. Microsoft, Active Directory, Excel, Office 365, OneDrive, Outlook, PowerPoint, SharePoint, Visio, Windows, Windows Server, Windows Design 2012 / 가 Microsoft Corporation

Apache, OpenOfficeGull/가Apache SoftwareFoundation.Apache Software Foundation

Copyright (c) 1997,1998,2002,2007 Adobe Systems Incorporated



Copyright © 2010-2013 Marti Maria Saguer. All rights reserved.

Copyright (c) 2003 Calyptix Security Corporation

All rights reserved.?

Yliang Zheng가 Calyptix Security Corporation

Miama Nueva Copyright (c) 2014, Linus Romer, with Reserved Font Name Miama Nueva.

Pecita Copyright (c) 2009-2015, Philippe Cochy, (http://pecita.eu), with Reserved Font Name Pecita.

Bad Script Regular Copyright (c) 2011, Cyreal (www.cyreal.org) with Reserved Font Name "Bad Script".

SIL Open Font License, Version 1.1 가

FAQ

: http://scripts.sil.org/OFL

MD5C.C - RSA Data Security, Inc., MD5 message-digest algorithm

Copyright (C) 1991-2, RSA Data Security, Inc. Created 1991. All rights reserved.

RSA Data Security, Inc .MD5 Message-Digest Algorithm.

ABBYY® FineReader 14

Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved. **OpenSSL** Project 가 OpenSSL Toolkit (http://www.openssl.org/) Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com) All rights reserved. Eric Young 가 (eay@cryptsoft.com) Eric Young Tim Hudson 가 (tjh@cryptsoft.com). OpenSSL License Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved. : 1. .2 / .3. • " **OpenSSL** Toolkit OpenSSL Project가 가 (http://www.openssl.org/)" 4. "OpenSSL Toolkit" "OpenSSL Project" 가 가 openssl-core@openssl.org 가 **OpenSSL** Project "OpenSSL" 'OpenSSL" .6. : " OpenSSL Toolkit OpenSSL Project가 가 . (http://www.openssl.org/)" **OpenSSL PROJECT** () () 가 () 가 Eric Young 가 (eay@cryptsoft.com). Tim Hudson (tjh@cryptsoft.com). SSLeay Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com) All rights reserved. Eric Young SSL (eay@cryptsoft.com). Netscapes SSL SSL RC4, RSA, Ihash, DES SSL Tim

Hudson(tjh@cryptsoft.com)



Copyright 2006-2011, V8

Copyright 2014, V8

:

,

,

*

*

.All rights reserved.

.All rights reserved.

/ • * Google Inc. 가 " ... () (, ,) , , , , 가 ()

,

,

V8 / Strongtalk

Copyright (c) 1994-2006 Sun Microsystems Inc.

,

All rights reserved.

*

*

/

:

* Sun Microsystems

(

가

(

() , . TWAIN Toolkit .TWAIN . , 3 () , , , , , (

)

)

, , ,

EPUBIDPF (International Digital Publishing Forum)

(EU)

/

JavaScript Oracle /

Amazon, Kindle, Amazon.com, Inc.

Arial Monotype Corporation

Palatino Monotype Imaging Inc.

Palatino

Bigelow & Holmes Inc.

가

"

Corel WordPerfect

가 Corel Corporation /

)

Citrix, Citrix XenApp,	Citrix	Citrix Sy	/stems, Inc.	/		
	가				ABC ED	UCATION
SERVICES		Citrix Systen	ns, Inc.			
		, ,			.Citrix	
			,	,	3	,가
.Citrix, Citrix	3	, ,				
		(,	,		

•

.

281

•